



Food loss and waste reduction by using Industry 4.0 technologies: examples of promising strategies

Rai Naveed Arshad¹, Zulkurnain Abdul-Malek¹, Carlos Parra-López ², Abdo Hassoun³, Muhammad Imran Qureshi⁴, Aysha Sultan⁵, Carmen Carmona-Torres^{2,6}, Jennifer Mignonne de Waal⁷, Sandeep Jagtap ^{7,8}, and Guillermo Garcia-Garcia ^{9,*}

¹Institute of High Voltage and High Current, Universiti Teknologi Malaysia, Skudai, Malaysia

²Department of Agrifood System Economics, Institute of Agricultural and Fisheries Research and Training (IFAPA), Centre 'Camino de Purchil', Granada, Spain

³Sustainable AgriFoodtech Innovation & Research (SAFIR), Arras, France

⁴Teesside University International Business School, Clarendon Building, Teesside University, Middlesbrough, United Kingdom

⁵Department of Food Science and Technology, University of Central Punjab, Lahore, Pakistan

⁶Department of Regional Geographic Analysis and Physical Geography, Faculty of Philosophy and Literature, University of Granada, Granada, Spain

⁷Division of Engineering Logistics, Lund University, Lund, Sweden

⁸Sustainable Manufacturing Systems Centre, Cranfield University, Cranfield, United Kingdom

⁹Department of Chemical Engineering, Faculty of Sciences, University of Granada, Granada, Spain

*Corresponding author: Department of Chemical Engineering, Faculty of Sciences, University of Granada, Avda Fuente Nueva, s/n, 18071 Granada, Spain.
Email: guillermo.garcia@ugr.es

Abstract

Food loss and waste (FLW) represent a significant global issue, posing a threat to food sustainability on a worldwide scale. However, the growing awareness among consumers and the development of emerging technologies driven by the Fourth Industrial Revolution (Industry 4.0) present numerous opportunities to reduce FLW. This article provides a comprehensive examination of recently developed strategies for reducing FLW. The role of Industry 4.0 technologies, such as the Internet of Things, artificial intelligence, cloud computing, blockchain, and big data, is highlighted through examples of various promising initiatives. The results of this analysis show that the application of digital technologies to address the issue of FLW is on the rise globally, with Industry 4.0 technologies revolutionising many sectors, including the food sector. Further research is necessary, and closer collaboration between producers, distributors, consumers, and other actors involved in the food supply chain is still required to reduce FLW further.

Keywords: Industry 4.0, digital technologies, food waste, food loss, food supply chain

Received: 18 November 2024. Accepted: 31 January 2025

© The Author(s) 2025. Published by Oxford University Press on behalf of Institute of Food Science and Technology.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted reuse, distribution, and reproduction in any medium, provided the original work is properly cited.

Graphical abstract



Introduction

Food loss and waste (FLW) is a significant global concern. The amount of FLW is expected to increase by as much as 70% by 2050 if preventative measures are not implemented soon (Chen et al., 2020; Vittuari et al., 2019). FLW also has environmental repercussions for climate change, biodiversity loss, freshwater, marine and air pollution, and land (Guo et al., 2023). The United Nations' Sustainable Development Goal 12 aims to promote responsible consumption and production as well as reduce food waste by 2030.

FLW occurs at every stage of the food supply chain, from production to consumption, due to suboptimal harvesting practices, inadequate storage and transportation, over-purchasing, improper storage, and food perishability. Some FLW is generated at the manufacturing stage due to non-compliance with the food business' technical criteria, and when there is a lack of demand for produced foods at a certain time (Moldovan et al., 2024). For example, in a study of a prepackaged meal factory, it was determined that approximately 24% of FLW produced at the factory was due to overproduction or overstocking, resulting in ingredients exceeding their shelf life and spoiling

(Jagtap & Rahimifard, 2019). Therefore, it is paramount to reduce FLW generation rates and implement promising strategies to valorise them. The primary objective of the circular economy is to maximise the efficient and comprehensive utilisation of all resources to minimise waste. Advanced technologies and innovations can support the circular economy (Herrero et al., 2020), and there are many examples to support this, for instance works on digital technologies (Benyam et al., 2021; Carlos et al., 2024; Rusch et al., 2023), and more specifically, smart sensors (Zhu et al., 2022), Internet of Things (IoT) (Kumar & Prashar, 2021), and nonthermal food processing (Arshad et al., 2022), among others. The fourth industrial revolution, also known as Industry 4.0, has introduced technologies that enhance production, support food traceability, improve food safety and quality, reduce FLW generation, and enable complete supply chain transparency from farm to consumer (Hassoun et al., 2022).

Industry 4.0 technologies can provide viable and secure solutions at every level of the food supply chain and enhance food sustainability and sustainable development goals (Kayikci et al., 2022; Oztemel & Gursev, 2020; Režek Jambrak et al., 2021; Simon et al., 2018; Sridhar et al., 2023). Although there is no common

agreement on what technologies are included in Industry 4.0, most studies consider artificial intelligence (AI), IoT, smart sensors, big data, blockchain, and robotics as basic components of Industry 4.0 in agriculture and the food industry (Hassoun et al., 2022; Oztemel & Gursev, 2020; Senturk et al., 2023).

There is a growing amount of research about the potential of Industry 4.0 technologies for reducing FLW, for instance in recent works by Duong et al. (2024), Senguler and Kirkin (2024) and Wei et al. (2023). This article contributes to this growing body of knowledge by providing a comprehensive analysis of the Industry 4.0 technologies that can be used to reduce FLW and valorise surplus food and by-products across the entire food supply chain. It explores the interaction and relationship between sustainability and the key areas of Industry 4.0: traceability, process optimisation, and waste reduction. To analyse these applications of Industry 4.0 technologies, journal articles from the last five years were retrieved from Scopus database, based on a keyword search that included the technologies discussed in *Industry 4.0 technologies to reduce FLW*.

Industrial revolutions

Each technological advancement compels the industry to adapt to remain competitive. In the 19th century, the transition to innovative manufacturing processes marked the first industrial revolution or Industry 1.0. During this period processing changed from being human-dependent to mechanised using steam power (Yavari & Pilevari, 2020). The second industrial revolution (Industry 2.0) was based on mass production achieved by the division of labour and the use of electrical energy from the late 19th to late 20th centuries (Iyer, 2018). It enhanced food production, separation procedures, storage, and transportation. Using Industry 3.0, automation and digitalisation helped food companies build programmable and automated process lines, for example, baking lines. Food production was modernised, new packaging materials were developed, and promotional packaging was introduced (Lau et al., 2019). Additionally, Industry 3.0 helped reduce industrial FLW by utilising computerised food processing technologies. This enabled fresh foods to be cultivated in remote locations and made accessible for longer periods throughout the year. The fourth industrial revolution (Industry 4.0) of the present day, is exponentially expanding in scope and distinct domains of interest, including AI, blockchain, robotics, IoT, digitalisation, big data, autonomous vehicles, additive manufacturing, nanotechnology, biotechnology, and 3D food printing (Jideani et al., 2021). The technologies associated with Industry 4.0 have the potential to reduce FLW by tracking ingredients and quickly assessing various parameters (Hayat et al., 2023).

Industry 4.0 technologies to reduce FLW

Industry 4.0 unifies digital technologies to improve and automate the manufacturing process. The following is an overview of Industry 4.0-related technologies and their potential role in reducing FLW.

Big data

BD refers to large data sets (volume) generated at high rates (velocity), larger than what conventional data management systems can handle and store. These data sets are composed of data in a variety of data formats. In contrast, big data analytics (BDA) refers to applying advanced analytics to BD (Ciccullo et al., 2022),

resulting in better interaction, planning, and control (Annosi et al., 2021; Hasan et al., 2024). The food industry generates enormous amounts of data, and BD has emerged as a leading technology for performance optimisation and traceability (Annosi et al., 2021; Rejeb et al., 2022). Based on massive data sets collected from various sources, BDA reduces FLW at each level of the supply chain as it determines the risk, solution, prevention, and control, and anticipates future challenges. The BD application processing system for the food industry is shown in Figure 1.

A suitable BD infrastructure is critical for transitioning to circular food supply chains and data analysis to reduce FLW with the help of BDA is essential for sustainable operations management in the circular economy (Kazancoglu et al., 2021; Rejeb et al., 2021). However, the potential of BD to reduce FLW in the food chain is not very well documented. A bibliometric analysis of household food waste, based on almost three thousand resources, revealed that most research is taking place in developed and emerging countries.

Kayikci et al. (2022) focused on food waste in the retail phase of the perishable food supply chain. They presented an optimal dynamic pricing strategy to adjust prices at different points in the sales season. In this solution, the unit price of products is updated continuously in response to real-time data on the product's shelf life (i.e., the state of freshness or deterioration).

Food prices are also influenced by economic factors such as the redistribution of excess supply. Establishing an effective pricing plan is essential to managing inventory and reducing excess food when demand is unpredictable. In this context, BDA assists managers by forecasting consumer behaviour and helping to establish price plans for the retail sector (Kayikci et al., 2022).

Despite its potential in the food supply chain, it can be said that the application of BD is still in its infancy (Tao et al., 2021). Some obstacles must be overcome for BD to reach maturity. These obstacles include issues with data equity, such as searchability, accessibility, interoperability, and reusability of shared data, as well as the lack of information standards and data processing technology (Tao et al., 2021). Currently, most organisations use BD as a descriptive or diagnostic tool and lack experience in its use as a predictive or prescriptive tool, which is an area of future development.

Internet of Things

Food-sensing technology, such as IoT sensors, can enhance food safety, quality, and traceability, thereby reducing FLW. In food manufacturing systems, IoT can assist manufacturers in identifying where food waste occurs by gathering and delivering real-time data, which can significantly influence efficiency and performance. Data provides insights that subsequently assist stakeholders in making key operational choices (Brabec et al., 2019; Kumar & Prashar, 2021). Thus, using IoT sensors, FLW can be tracked quickly and easily with little human input while providing economic and environmental data.

In food packaging, the use of smart labels, smart e-noses (a type of sensing system), real-time data tracking sensors, and radio frequency identification (RFID) technology are significantly contributing to effective FLW reduction and better management (Hasanin & Abdelkhalek, 2024). Implementing an IoT-based digital FLW monitoring system in ready-to-eat food production increases employee involvement and awareness and reduces FLW (Jagtap et al., 2019; Van et al., 2022). From a consumer perspective, the ability to communicate data through IoT reduces FLW. For instance, retailers can use real-time data to display in-store the harvest or pick date of a product, providing more accurate




Figure 1. The processing system of the big data application in the food industry. Based on Tao et al. (2021).

information on sell-by, best-before, and use-by dates (Kayikci et al., 2022).

Zhu et al. (2022) determined the key environmental impacts that could result from the potential widespread application of the IoT in the food supply chain. A 20%–41% reduction in FLW was estimated, taking into account environmental costs. Smart shelves equipped with IoT-based sensors allow monitoring of how foods are handled and stored, by tracking the condition and the inventory of the items on the shelves. Issues are identified by sensors and management is notified promptly to address them, preventing food wastage. Gull et al. (2021) devised a strategy to decrease FLW at home and in restaurants by using MQ4 and MQ135 sensors to detect gas emissions from various foods, including meat, rice, and bread. Jagtap et al. (2021) presented an IoT-based framework for monitoring the generation of FLW to improve resource efficiency in the food industry by designing and implementing IoT-based tools.

The food distribution industry is anticipated to be an early adopter of IoT technology, leading to improvements in the environmental and economic performance of the food supply chain performance (Heard et al., 2018; Nagarajan et al., 2022). For instance, autonomous vehicles enable in-home delivery, allowing customers to order smaller amounts of groceries for short-term needs. In shipping logistics, advancement in technology, particularly automation, can minimise FLW.

Artificial intelligence

AI plays a key role in the digital transformation of food supply chains and waste sorting to ensure sustainable food systems (Jamali & Misman, 2021; Marvin et al., 2022; Riesenegger et al., 2023). Inadequate market demand forecasting and supply chain management cause commercial food waste. AI is beneficial for demand forecasting, including customers, stores, distribution centres, manufacturers, ingredients, and raw material suppliers (Kumar et al., 2021). With AI-enabled software it is possible to make accurate forecasts by inputting previously recorded data

on food stock-outs, discarded food, and real-time shelf-life and inventory data from the shelves (Şimşek, 2024). Using this type of software, stores can for example determine with enhanced precision when a particular food item will be out of supply, which in turn allows them to optimise their product ordering process and order quantities. Hassoun et al. (2022) demonstrated how AI could improve traceability, food processing, sensor-based data collection, and food safety. Figure 2 shows a general AI-based architecture for a FLW reduction system. Digital cameras or other sensors are the foundation for warehouses' FLW control systems.

FLW can also be reduced with an AI-powered food inspection system to evaluate food quality. Nagaraju and Shubhamangala (2020) used image processing and AI-based smart refrigerators to recognise food items and determine their freshness. Table 1 shows other examples of AI-based diagnosis technology used to assess food quality.

Human and machine intelligence working together can significantly reduce FLW. Machine learning (ML) helps to speed up circular design processes and prototypes by examining vast data sets and offering new possibilities and ideas for resource- and energy-efficient design (Akhtar et al., 2024). Leading corporations are already using ML to decrease FLW. For instance, Gupta et al. (2021) employed ML to estimate demand, resulting in a 20% decrease in prediction inaccuracy and a 30% reduction in lost revenue in a large food business. Nascimento et al. (2022) used AI to estimate small Brazilian grocery store demand and enable own-branded product production to prevent food waste using ML and feature expansion techniques. This approach generated the lowest amount of food waste and the largest gross profit. The suggested approach also decreased production costs while maintaining high demand.

Preventing and controlling plant disease outbreaks can also minimise early FLW during primary production (Aliyu et al., 2020; Velásquez et al., 2020). Sensors that monitor chemical and biological reactions on food products throughout the supply chain can be used to feed data into AI models. With this data, AI models can be




Figure 2. A general artificial intelligence architecture used for food loss and waste reduction.

Table 1. Early-stage artificial intelligence-based diagnosis technologies in assessing food quality.

Method	Objective	Findings	Reference
Hyperspectral imaging	Detect, classify, and quantify plant and animal-based adulterants in minced beef and pork	Classification rates of 75–100% for pure samples and 100% for adulterated samples	(Rady & Adediji, 2020)
Mass spectrometry tested eight ML algorithms	Evaluate carcass quality	81.5% to 99% accuracy in predicting carcass quality traits	(Penning et al., 2020)
Support vector ML, stepwise, and Bayesian network procedures	Predict carcass traits and commercial meat cuts in lambs	Assess carcass traits or commercial cut predictions	(Alves et al., 2019)
Bilinear fusion method	Detect citrus greening disease	89% efficiency in detecting citrus greening disease	(Yang et al., 2021)
Control logic using an output feedback neural network	Maintain environmental conditions for proper plant growth	Identification and removal of infections	(Jung et al., 2020)

Note. ML = machine learning.

trained to detect infections so that the food items can be treated or removed from the supply chain. However, modelling plant disease detection requires a high-accuracy classification model. AI makes predicting crop yields, identifying weeds, and finding plant diseases easier (Shaikh et al., 2022). ML-based disease detection includes pre-processing the dataset, extracting the features of disease areas in the image using feature extraction algorithms, sending the feature information to the classifier to get the model parameters, and getting the disease categories and the level of disease to be detected (Ahmed & Yadav, 2023).

It is possible to develop a disease detection system for plants utilising a 3D convolutional neural network (CNN) model and hyperspectral images of leaves (Jung et al., 2020, 2022). Jagtap et al. (2019) described an automated and real-time system based on IoT that uses sophisticated image processing and load cell technologies to monitor the total quantity and the sources of FLW in the potato processing industry. A CNN was used to find the possible reasons for potato waste. A training accuracy of 94%, a validation accuracy of 86%, and a test accuracy of 83% were achieved after parameter optimisation. Mazlounian et al. (2020) used a deep CNN technique to categorise FLW into 20 distinct classifications with an accuracy of 83.5%. Anggraeni et al. (2021) used three AI implementations to support data analysis and decision-making on FLW. Algorithms for machine learning and Bayesian networks were used to estimate the amount of food wasted at the household level. An agent-based simulation was used to learn more about how innovation and the uptake of a certain technology might reduce retail food waste.

Thus, using AI techniques can increase the accuracy of production planning in the food processing industry and encourage a considerable decrease in FLW.

Blockchain

Blockchain technology stores digital information in a distributed and unalterable ledger, which fosters transparency and ultimately aids in preventing FLW. Food fraud is a major threat in the global food business, and food waste may be caused by food fraud (Visciano & Schirone, 2021). For instance, around 5,000 L of milk were destroyed by the District Food Authority of Pakistan due to the detection of adulterants and contaminants (Handford et al., 2016; Jha et al., 2016). Effective inventory control helps to restrict surplus food production, decrease overstocking, and enhance FLW management. For instance, the Raven Food Co-op has considerably reduced FLW by improving inventory control, selling discounted vegetables, and redistributing food to employees, co-op members, clients, and the local community (Ribeiro et al., 2019).

Many researchers have discussed how blockchain could raise awareness about FLW (Kayikci et al., 2022; Yiannas, 2018). They showed that using blockchain technology can facilitate consumers to verify the origin and safety of their food while enabling farmers to access vital information about market demand and pricing. All transactions are conducted online, and everyone has a ledger to keep track of exchanged tokens.

Kumar and Prashar (2021) used ML and blockchain to develop an autonomous warehouse system that reduces FLW. Dey et al. (2022) used blockchain, QR codes, cloud computing, and ML to build a framework that reduced FLW. Park and Li (2021) produced




Figure 3. Applications of nanomaterials to protect food and reduce food loss and waste.

a case study demonstrating how supply networks might benefit from blockchain technology by examining the partnership between the Walmart food supply chain and IBM Food Trust. Before and after implementing the IBM Food Trust, they looked at Walmart's annual sustainability report and external ESG ratings. They demonstrated how the Walmart food supply chain benefits from blockchain technology regarding FLW control and food safety, health, and nutrition. These results showed that the blockchain can optimise FLW management and improve food safety, health, and nutrition in food supply chains.

Nanotechnology

Nanomaterials can be used in the food industry for a wide range of applications. Figure 3 illustrates how nanoparticles can be utilised in the food industry to safeguard food and reduce FLW. Recent advancements in nanotechnology in the food sector include improving safety and security, upgrading nutraceutical value, expanding shelf-life, and minimising FLW (Aguilar-Pérez et al., 2023; Ayala-Fuentes & Chavez-Santoscoy, 2021; He et al., 2019; Neme et al., 2021; Wesley et al., 2014).

Nanomaterials are extensively used to combat various pathogenic bacteria in food safety and preservation due to their superior physicochemical properties and antimicrobial potential (Baranwal et al., 2018; Das et al., 2018; Tian et al., 2022). (Thakur et al., 2018) identified a single *Escherichia coli* bacterial cell using a reduced graphene field-effect transistor device based on nanoparticles. Song et al. (2018) created a fluorescence sensing platform that employed immunomagnetic and liposome nanoparticles to detect *Cronobacter* sp. at the genus level with a 5.9×10^3 CFU/ml detection limit. Thus, nanotechnology can support FLW management by enhancing the accuracy and speed at which pathogenic bacteria, that cause food spoilage, can be detected. This in turn may lead to a reduction in costs and energy requirements of FLW prevention.

Smart packaging

The high perishability of food products has spurred the development of new packaging technologies to extend shelf life and enhance conservation. Solutions such as 'active packaging' use additives that interact with food or its environment to preserve, for example, fresh vegetables and animal products'

freshness and shelf life. Intelligent, otherwise known as smart packaging technologies do not alter the food but monitor food quality throughout transportation and storage using sensor technology. Sensors can detect freshness, pH sensitivity (Zainal Arifin et al., 2023), food integrity, and ammonia sensitivity. They may also incorporate time-temperature indicators and RFID (Poyatos-Racionero et al., 2018). Zainal Arifin et al. (2023) demonstrated how intelligent packaging for meat and seafood products delayed lipid oxidation and slowed down microbiological development, maintaining food quality during storage and prolonging food shelf life. The qualitative information of these indicators changes over time and during processing due to chemical reactions or microbial growth. Bhargava et al. (2020) discussed different natural indicators made from FLW and recent research on the use of biodegradable smart packaging films with pigments derived from natural sources. The study aimed to assess whether the quality of food is maintained and to determine if there is commercial potential for these indicators.

Intelligent packaging, a subset of interactive packaging, is rapidly advancing. Although, most published information does not specifically mention the capabilities of intelligent packaging as a strategy for reducing FLW (Chen et al., 2020; Poyatos-Racionero et al., 2018). Numerous transduction mechanisms, including electrochemical (Chung & Dhar, 2021; Cruz Viggi et al., 2017; Habarakada Liyanage & Babel, 2020), electronic (Dos Santos et al., 2020; Raju et al., 2020), and mass-sensitive sensors are used to evaluate food quality (Li et al., 2022; Magarelli et al., 2023), which may help reducing FLW.

Cloud computing

A circular economy depends more on data and information than a linear economy. Figure 4 shows the communication models of different stakeholders in the food supply chain. Large volumes of data are generated from food supply chains, goods, materials, equipment, and manufacturing processes (Agrawal & Nyamful, 2016). Digital technology helps unleash the potential of certain circular methods by giving relevant information (Berg et al., 2020). This communication and monitoring model assists businesses in planning and ordering as required and reducing spoiling by providing complete visibility over product and ingredient expiration dates (Režek Jambrak et al., 2021). Industry 4.0 enables more




Figure 4. Communication channel in the food supply chain: (A) communication is limited to two stakeholders before Industry 4.0 and (B) communication is open to all stakeholders in Industry 4.0.

trustworthy communication between stakeholders than a linear model, where only stakeholders from adjacent levels typically communicate at each level.

Funchal et al. (2022) developed a digital cloud-based ecosystem to integrate smart applications in the food supply chain to reduce FLW. Benefits were obtained in terms of modularity, interoperability, scalability, and robustness. Further capabilities provided by cloud computing prevent FLW by streamlining order-to-delivery procedures.

3D food printing

3D food printing (3DFP) allows for the creation of highly sensitive, self-indicating, multipurpose smart components made from bio-compatible, non-toxic materials at a lower cost than conventional manufacturing methods (Tracey et al., 2022). These technologies can be combined with intelligent food packaging to minimise food waste and shield people from ingesting unsafe food. Many studies have discussed the valorisation of FLW and its by-products using 3DFP (Carvajal-Mena et al., 2022; Cheng-Rong & Yung-Kai, 2022; Nida et al., 2022; Muthurajan et al., 2021; Wong et al., 2022).

Muthurajan et al. (2021) created ready-to-cook 3D-printed potato peel and wheat flour noodles. They found that tiny fractions of potato peel with particles less than 0.125 mm in size printed better than coarse fractions with particles larger than 0.125 mm because of the lower fibre content in fine fractions. Cheng-Rong and Yung-Kai (2022) investigated the production of an artificial steak to lessen the environmental damage caused by the meat industry. They found that gellan gum can compensate for proteins and regulate instrumental hardness and instrumental chewiness, which can be adjusted by various formulations and used in geriatric diets. (Carvajal-Mena et al., 2022) showed the potential of salmon gelatin gel for 3DFP, by efficiently exploiting gelatin gel from salmon skins to produce 3D-printed salmon gelatin cubes.

Additionally, 3DFP may aid in the optimisation of nutrition for certain target groups, such as athletes, the elderly and pregnant

women, who might require soft diets or diets with special nutritional requirements (Pant et al., 2023). Režek Jambrak et al. (2021) discovered that 3DFP reduces carbon footprints, enables energy-efficient production, and requires minimal raw material use, making it a promising technology for sustainable foods.

Robotics and autonomous systems

The food industry has one of the lowest levels of automation. Despite enormous amounts of FLW being generated, this lack of automation has persisted because automation technologies face difficulties in contexts with such high variability and unpredictability as the food supply chain. However, the capacities of automation technologies are expanding, both cognitively and physically, and these restrictions are dwindling (Hassoun et al., 2022).

Researchers have investigated and developed robotics and autonomous systems (RAS) methods for fruit harvesting (Pearson et al., 2022). RAS harvesting for greenhouses has been developed, motivated by the fact that the manoeuvring of robots is easier within a closed environment such as a greenhouse (Sánchez-Molina et al., 2024). Jagtap et al. (2019) presented a RAS system for monitoring the quantity and source of potato waste throughout potato supply chains. The study demonstrates the utilisation of load cell technology and contemporary image processing to capture pictures of potatoes and weigh each of them separately.

Current barriers that hamper Industry 4.0 implementation in the food sector for FLW reduction

A thorough FLW reduction and management strategy requires numerous actions. However, owing to insufficient knowledge, poor coordination, and organisational issues, food service providers are mostly unaware of the advantages of radical innovations (Martin-Rios et al., 2018). There are still certain obstacles, such

as control and security threats, inaccurate data, instability, and data biases. Economic risks (for example, decreased employment opportunities and high investment costs), unethical behaviour (in the case of intellectual property), and other social risks are still prevalent. The high investment costs make these solutions mostly applicable in developed economies and by highly profitable businesses. Regarding social risks, it is important to note that consumers may not understand some technology improvements, such as smart labels. It is therefore important that consumers are educated about the use of such technological advances, as well as to reduce food waste at the consumption level. The next level of Industry 4.0, i.e., Industry 5.0, adopts a more human-centric approach for digital technologies, and it is a recommended avenue of future research.

To promote policy alternatives that revitalise sustainable food systems, the interactions between digital technologies and FLW reduction require further investigation and in-depth research. Prohibitive investment prices and the digital gap among technology adopters constrain the widespread adoption of digital technologies.

Legislation poses a challenge in the food sector, as it varies geographically. The food industry produces a wide variety of goods, each with a unique production process and set of prerequisites for the supply chain. Therefore, the impact of digital technologies, especially those that generate data, depends critically on data sharing and integration, which is one of the biggest challenges faced by the food supply chain. From a data analytics perspective, data collection and transmission should be automated to the greatest extent. This is presently not the case since many businesses are not equipped with adequate data-gathering capabilities (Sevilla et al., 2022).

Furthermore, defining the required amount of data both in the present and in the future is challenging. The motivation to exchange data is also hampered by the different interests and conflicting goals of data owners. Ownership, confidentiality, and data management issues typically need to be settled through protracted discussions between data owners. When a large number of supply chain participants with competing interests are involved, reaching an agreement becomes very challenging (Kamilaris et al., 2019).

Conclusion

FLW reduction presents tremendous potential for all stakeholders in the food system to generate economic benefits while lowering environmental impacts. Efficient food systems benefit from advances in science, technology, public awareness, and demand for sustainable food. Industry 4.0 can support this transition to more sustainable food systems. Industry 4.0 comprises technologies that boost production, improve food safety, minimise FLW, reduce resource use, and enable total supply chain transparency from farm to fork. It allows corporations to collect detailed data from sensors placed across the entire food system and analyse it to streamline their decision-making processes. Several Industry 4.0 technologies substantially enhance the human ability to make more accurate decisions. As a result of precision forecasting and the right conditions for processing, FLW can be significantly reduced. Industry 4.0 technologies can enable continuous feedback loops between the various phases of the food production process and improve trust, traceability, and transparency throughout the entire value chain, further improving data sharing and accessibility. Consequently, improved communication and access to data allows for optimisation of food operations and reduction of

FLW. Therefore, Industry 4.0 offers many possibilities to minimise FLW and optimise the efficiency of the food sector. Nevertheless, its implementation is currently limited due to restrictive regulations, lack of market demand, technological awareness, and the need for large investments.

Data availability

The datasets used and/or analysed during the current study are available from the corresponding author on reasonable request.

Author contributions

Rai Naveed Arshad (Conceptualisation [equal], Formal analysis [equal], Investigation [equal], Methodology [equal], Validation [equal], Writing—original draft [equal]), Zulkurnain Abdul-Malek (Conceptualisation [equal], Formal analysis [equal], Investigation [equal], Methodology [equal], Writing—original draft [equal]), Carlos Parra López (Data curation [equal], Formal analysis [equal], Investigation [equal], Methodology [equal], Validation [equal], Writing—original draft [equal]), Abdo Hassoun (Conceptualisation [equal], Data curation [equal], Formal analysis [equal], Investigation [equal], Methodology [equal], Validation [equal], Visualisation [equal], Writing—original draft [equal]), Muhammad Imran Qureshi (Conceptualisation [equal], Formal analysis [equal], Investigation [equal], Writing—original draft [equal]), Aysha Sultan (Data curation [equal], Formal analysis [equal], Investigation [equal], Validation [equal], Writing—original draft [equal]), Carmen Carmona-Torres (Validation [equal], Writing—review & editing [equal]), Jennifer Mignonne de Waal (Data curation [equal], Formal analysis [equal], Investigation [equal], Writing—review & editing [equal]), Sandeep Jagtap (Formal analysis [equal], Funding acquisition [equal], Investigation [equal], Project administration [equal], Resources [equal], Supervision [equal], Writing—review & editing [equal]), and Guillermo Garcia-Garcia (Data curation [equal], Funding acquisition [equal], Project administration [equal], Software [equal], Supervision [equal], Validation [equal], Writing—review & editing [equal]).

Funding

'Marie Skłodowska-Curie Actions (MSCA) Postdoctoral Fellowship' with Grant agreement ID: 101052284.

Conflicts of interest

Authors state that there is no conflict of interest.

Ethical approval

Ethics approval was not required for this research.

References

- Agrawal, R., & Nyamful, C. (2016). Challenges of big data storage and management. *Global Journal of Information Technology: Emerging Technologies*, 6, 1–10.
- Aguilar-Pérez, K. M., Ruiz-Pulido, G., Medina, D. I., Parra-Saldivar, R., & Iqbal, H. M. (2023). Insight of nanotechnological processing for nano-fortified functional foods and nutraceutical—Opportunities, challenges, and future scope in food for better health. *Critical Reviews in Food Science and Nutrition*, 63, 4618–4635. <https://doi.org/10.1080/10408398.2021.2004994>

- Ahmed, I., & Yadav, P. K. (2023). Plant disease detection using machine learning approaches. *Expert Systems*, 40, 13136. <https://doi.org/10.1111/exsy.13136>
- Akhtar, P., Ghouri, A. M., Ashraf, A., Lim, J. J., Khan, N. R., & Shuang, M. A. (2024). Smart product platforming powered by AI and generative AI: Personalization for the circular economy. *International Journal of Production Economics*, 273, 109283. <https://doi.org/10.1016/j.ijpe.2024.109283>
- Aliyu, M. A., Mokji, M. M. M., & Sheikh, U. U. U. (2020). Machine learning for plant disease detection: An investigative comparison between support vector machine and deep learning. *IAES International Journal of Artificial Intelligence*, 9, 670. <https://doi.org/10.11591/ijai.v9.i4.pp670-683>
- Alves, A. A. C., Pinzon, A. C., Da Costa, R. M., Da Silva, M. S., Vieira, E. H. M., De Mendonca, I. B., Viana, V. D. S. S., & Lôbo, R. N. B. (2019). Multiple regression and machine learning based methods for carcass traits and saleable meat cuts prediction using non-invasive in vivo measurements in commercial lambs. *Small Ruminant Research*, 171, 49–56. <https://doi.org/10.1016/j.smallrumres.2018.12.008>
- Anggraeni, M. C., Silaban, C. A., Anggreainy, M. S., & Cahyadi, E. (2021). Role of artificial intelligence in the Management of Food Waste. In: 2021. *2nd International Conference on Artificial Intelligence and Data Sciences (AiDAS)* (pp. 1-6). IEEE, Malaysia. <https://doi.org/10.1109/AiDAS53897.2021.9574167>
- Annosi, M. C., Brunetta, F., Bimbo, F., & Kostoula, M. (2021). Digitalization within food supply chains to prevent food waste. Drivers, barriers and collaboration practices. *Industrial Marketing Management*, 93, 208–220. <https://doi.org/10.1016/j.indmarman.2021.01.005>
- Arshad, R. N., Abdul-Malek, Z., Roobab, U., Ranjha, M. M. A. N., Jambrak, A. R., Qureshi, M. I., Khan, N., Lorenzo, J. M., & Aadil, R. M. (2022). Nonthermal food processing: A step towards a circular economy to meet the sustainable development goals. *Food Chemistry*, 366, 130516. <https://doi.org/10.1016/j.foodchem.2022.130516>
- Ayala-Fuentes, J. C., & Chavez-Santoscoy, R. A. (2021). Nanotechnology as a key to enhance the benefits and improve the bioavailability of flavonoids in the food industry. *Food*, 10, 2701. <https://doi.org/10.3390/foods10112701>
- Baranwal, A., Srivastava, A., Kumar, P., Bajpai, V. K., Maurya, P. K., & Chandra, P. (2018). Prospects of nanostructure materials and their composites as antimicrobial agents. *Frontiers in Microbiology*, 9, 422. <https://doi.org/10.3389/fmicb.2018.00422>
- Benyam, A. A., Soma, T., & Fraser, E. (2021). Digital agricultural technologies for food loss and waste prevention and reduction: Global trends, adoption opportunities and barriers. *Journal of Cleaner Production*, 323, 129099. <https://doi.org/10.1016/j.jclepro.2021.129099>
- Berg, H., Sebestyén, J., Bendix, P., Le Blevenec, K., & Vrancken, K. (2020). Digital waste management. *European Environment Agency*, 20. Eionet Report - ETC/WMG 2020/4.
- Bhargava, N., Sharanagat, V. S., Mor, R. S., & Kumar, K. (2020). Active and intelligent biodegradable packaging films using food and food waste-derived bioactive compounds: A review. *Trends in Food Science & Technology*, 105, 385–401. <https://doi.org/10.1016/j.tifs.2020.09.015>
- Brabec, D., Campbell, J., Arthur, F., Casada, M., Tilley, D., & Bantas, S. (2019). Evaluation of wireless phosphine sensors for monitoring fumigation gas in wheat stored in farm bins. *Insects*, 10, 121. <https://doi.org/10.3390/insects10050121>
- Carlos, R. L., De Souza, E. B., & Mattos, C. A. (2024). Enhancing circular economy practices through the adoption of digital technologies. *Business Strategy & Development*, 7, e330. <https://doi.org/10.1002/bsd2.330>
- Carvajal-Mena, N., Tabilo-Munizaga, G., Pérez-Won, M., & Lemus-Mondaca, R. (2022). Valorization of salmon industry by-products: Evaluation of salmon skin gelatin as a biomaterial suitable for 3D food printing. *LWT*, 155, 112931. <https://doi.org/10.1016/j.lwt.2021.112931>
- Chen, D. M.-C., Bodirsky, B. L., Krueger, T., Mishra, A., & Popp, A. (2020). The world's growing municipal solid waste: Trends and impacts. *Environmental Research Letters*, 15, 074021. <https://doi.org/10.1088/1748-9326/ab8659>
- Chen, S., Brahma, S., Mackay, J., Cao, C., & Aliakbarian, B. (2020). The role of smart packaging system in food supply chain. *Journal of Food Science*, 85, 517–525. <https://doi.org/10.1111/1750-3841.15046>
- Cheng-Rong, T., & Yung-Kai, L. (2022). Artificial steak: A 3D printable hydrogel composed of egg albumen, pea protein, gellan gum, sodium alginate and rice mill by-products. *Future Foods*, 5, 100121. <https://doi.org/10.1016/j.fufo.2022.100121>
- Chung, T. H., & Dhar, B. R. (2021). A multi-perspective review on microbial electrochemical technologies for food waste valorization. *Bioresource Technology*, 342, 125950. <https://doi.org/10.1016/j.biortech.2021.125950>
- Ciccullo, F., Fabbri, M., Abdelkafi, N., & Pero, M. (2022). Exploring the potential of business models for sustainability and big data for food waste reduction. *Journal of Cleaner Production*, 340, 130673. <https://doi.org/10.1016/j.jclepro.2022.130673>
- Cruz Viggi, C., Simonetti, S., Palma, E., Pagliaccia, P., Braguglia, C., Fazi, S., Baronti, S., Navarra, M. A., Pettiti, I., & Koch, C. (2017). Enhancing methane production from food waste fermentate using biochar: The added value of electrochemical testing in pre-selecting the most effective type of biochar. *Biotechnology for Biofuels*, 10, 1–13. <https://doi.org/10.1186/s13068-017-0994-7>
- Das, M. P., Livingstone, J. R., Veluswamy, P., & Das, J. (2018). Exploration of *Wedelia chinensis* leaf-assisted silver nanoparticles for antioxidant, antibacterial and in vitro cytotoxic applications. *Journal of Food and Drug Analysis*, 26, 917–925. <https://doi.org/10.1016/j.jfda.2017.07.014>
- Dey, S., Saha, S., Singh, A. K., & McDonald-Maier, K. (2022). Smart-NoshWaste: Using Blockchain, machine learning, cloud computing and QR code to reduce food waste in decentralized web 3.0 enabled smart cities. *Smart Cities*, 5, 162–176. <https://doi.org/10.3390/smartcities5010011>
- Dos Santos, A., Fortunato, E., Martins, R., Águas, H., & Igreja, R. (2020). Transduction mechanisms, micro-structuring techniques, and applications of electronic skin pressure sensors: A review of recent advances. *Sensors*, 20, 4407. <https://doi.org/10.3390/s20164407>
- Duong, T. H., Dinh, K. B., Luu, T., Chapman, J., Baji, A., & Truong, V. K. (2024). Nanoengineered sustainable antimicrobial packaging: Integrating essential oils into polymer matrices to combat food waste. *International Journal of Food Science & Technology*, 59, 5887–5901. <https://doi.org/10.1111/ijfs.17364>
- Funchal, G., Melo, V., & Leitão, P. (2022). Cloud-enabled integration of IoT applications within the farm to fork to reduce the food waste. In: 2022 IEEE 31st International Symposium on Industrial Electronics (ISIE) (pp. 824-829). IEEE, Anchorage, AK, USA. <https://doi.org/10.1109/ISIE51582.2022.9831694>
- Gull, S., Bajwa, I. S., Anwar, W., & Rashid, R. (2021). Smart eNose food waste management system. *Journal of Sensors*, 2021, 931228. <https://doi.org/10.1155/2021/931228>
- Guo, Y., Tan, H., Zhang, L., Liu, G., Zhou, M., Vira, J., Hess, P. G., Liu, X., Paulot, F., & Liu, X. (2023). Global food loss and waste embodies unrecognized harms to air quality and biodiversity hotspots. *Nature Food*, 4, 686–698. <https://doi.org/10.1038/s43016-023-00810-0>

- Gupta, T., Kamath, A., Kembhavi, A., & Hoiem, D. (2021). Towards general purpose vision systems. *IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*. New Orleans, LA, USA. <https://doi.org/10.1109/CVPR52688.2022.01591>
- Habarakada Liyanage, T., & Babel, S. (2020). Thermal, ultrasonic and electrochemical pretreatment methods to enhance the solubilization of organic substance and methane generation in food waste. *Journal of Material Cycles and Waste Management*, 22, 1418–1426. <https://doi.org/10.1007/s10163-020-01030-5>
- Handford, C. E., Campbell, K., & Elliott, C. T. (2016). Impacts of milk fraud on food safety and nutrition with special emphasis on developing countries. *Comprehensive Reviews in Food Science and Food Safety*, 15, 130–142. <https://doi.org/10.1111/1541-4337.12181>
- Hasan, R., Kamal, M. M., Daowd, A., Eldabi, T., Koliouisis, I., & Papadopoulos, T. (2024). Critical analysis of the impact of big data analytics on supply chain operations. *Production Planning & Control*, 35, 46–70. <https://doi.org/10.1080/09537287.2022.2047237>
- Hasanin, M. S., & Abdelkhalik, A. (2024). Packaging of the future: smart technologies and food quality and safety. In *Intelligent packaging* (pp. 1–30). In: S. P. Bangar, & M. Trif (Eds.), *Intelligent Packaging*. Academic Press. <https://doi.org/10.1016/B978-0-443-15388-4.00001-8>
- Hasnan, N. Z. N., & Yusoff, Y. M. 2018. Short review: application areas of industry 4.0 technologies in food processing sector. In: 2018 *IEEE Student Conference on Research and Development (SCoReD)* (1–6). IEEE.
- Hassoun, A., Ait-Kaddour, A., Abu-Mahfouz, A. M., Rathod, N. B., Bader, F., Barba, F. J., Biancolillo, A., Cropotova, J., Galanakis, C. M., & Jambrak, A. R. (2022). The fourth industrial revolution in the food industry—Part I: Industry 4.0 technologies. *Critical Reviews in Food Science and Nutrition*, 63, 6547–6563. <https://doi.org/10.1080/10408398.2022.2034735>
- Hassoun, A., Jagtap, S., Garcia-Garcia, G., Trollman, H., Pateiro, M., Lorenzo, J. M., Trif, M., Rusu, A., Aadil, R. M., & Šimat, V. (2022). Food quality 4.0: From traditional approaches to digitalized automated analysis. *Journal of Food Engineering*, 337, 111216. <https://doi.org/10.1016/j.jfoodeng.2022.111216>
- Hayat, A., Shahare, V., Sharma, A. K., & Arora, N. 2023. Introduction to Industry 4.0. In: S. Namasudra, & K. Akkaya (Eds.), *Blockchain and its Applications in Industry 4.0* (pp. 29–59). Singapore: Springer Nature Singapore. https://doi.org/10.1007/978-981-19-8730-4_2
- He, X., Deng, H., & Hwang, H.-M. (2019). The current application of nanotechnology in food and agriculture. *Journal of Food and Drug Analysis*, 27, 1–21. <https://doi.org/10.1016/j.jfda.2018.12.002>
- Heard, B. R., Taiebat, M., Xu, M., & Miller, S. A. (2018). Sustainability implications of connected and autonomous vehicles for the food supply chain. *Resources, Conservation and Recycling*, 128, 22–24. <https://doi.org/10.1016/j.resconrec.2017.09.021>
- Herrero, M., Thornton, P. K., Mason-D'Croz, D., Palmer, J., Benton, T. G., Bodirsky, B. L., Bogard, J. R., Hall, A., Lee, B., & Nyborg, K. (2020). Innovation can accelerate the transition towards a sustainable food system. *Nature Food*, 1, 266–272. <https://doi.org/10.1038/s43016-020-0074-1>
- Iyer, A. (2018). Moving from Industry 2.0 to Industry 4.0: A case study from India on leapfrogging in smart manufacturing. *Procedia Manufacturing*, 21, 663–670. <https://doi.org/10.1016/j.promfg.2018.02.169>
- Jagtap, S., Bhatt, C., Thik, J., & Rahimifard, S. (2019). Monitoring potato waste in food manufacturing using image processing and internet of things approach. *Sustainability*, 11, 3173. <https://doi.org/10.3390/su11113173>
- Jagtap, S., & Duong, L. N. K. (2019). Improving the new product development using big data: A case study of a food company. *British Food Journal*, 121, 2835–2848. <https://doi.org/10.1108/BFJ-02-2019-0097>
- Jagtap, S., Garcia-Garcia, G., & Rahimifard, S. (2021). Optimisation of the resource efficiency of food manufacturing via the Internet of Things. *Computers in Industry*, 127, 103397. <https://doi.org/10.1016/j.compind.2021.103397>
- Jagtap, S., & Rahimifard, S. (2019). The digitisation of food manufacturing to reduce waste—case study of a ready meal factory. *Waste Management*, 87, 387–397. <https://doi.org/10.1016/j.wasman.2019.02.017>
- Jamali, A., & Misman, Z. (2021). Food waste management: A case study of the employment of artificial intelligence for sorting technique. *Natural food products and waste recovery*. Apple Academic Press, New York. <https://doi.org/10.1201/9781003144748-15>
- Jha, S. N., Jaiswal, P., Grewal, M. K., Gupta, M., & Bhardwaj, R. (2016). Detection of adulterants and contaminants in liquid foods—A review. *Critical Reviews in Food Science and Nutrition*, 56, 1662–1684. <https://doi.org/10.1080/10408398.2013.798257>
- Jideani, A. I., Mutshinyani, A. P., Maluleke, N. P., Mafukata, Z. P., Sithole, M. V., Lidovho, M. U., Ramatsetse, E. K., & Matshisevhe, M. M. (2021). Impact of industrial revolutions on food machinery—an overview. *Journal of Food Research*, 9, 1–42. <https://doi.org/10.5539/jfr.v9n5p42>
- Jung, D. H., Kim, J. D., Kim, H. Y., Lee, T. S., Kim, H. S., & Park, S. H. (2022). A hyperspectral data 3D convolutional neural network classification model for diagnosis of gray mold disease in strawberry leaves. *Frontiers in Plant Science*, 13, 837020. <https://doi.org/10.3389/fpls.2022.837020>
- Jung, D.-H., Kim, H.-J., Kim, J. Y., Lee, T. S., & Park, S. H. (2020). Model predictive control via output feedback neural network for improved multi-window greenhouse ventilation control. *Sensors*, 20, 1756. <https://doi.org/10.3390/s20061756>
- Kamilaris, A., Fonts, A., & Prenafeta-Boldú, F. X. (2019). The rise of blockchain technology in agriculture and food supply chains. *Trends in Food Science & Technology*, 91, 640–652. <https://doi.org/10.1016/j.tifs.2019.07.034>
- Kayikci, Y., Demir, S., Mangla, S. K., Subramanian, N., & Koc, B. (2022). Data-driven optimal dynamic pricing strategy for reducing perishable food waste at retailers. *Journal of Cleaner Production*, 344, 131068. <https://doi.org/10.1016/j.jclepro.2022.131068>
- Kayikci, Y., Subramanian, N., Dora, M., & Bhatia, M. S. (2022). Food supply chain in the era of industry 4.0: Blockchain technology implementation opportunities and impediments from the perspective of people, process, performance, and technology. *Production Planning & Control*, 33, 301–321. <https://doi.org/10.1080/09537287.2020.1810757>
- Kazancoglu, Y., Pala, M. O., Sezer, M. D., Luthra, S., & Kumar, A. (2021). Drivers of implementing big data analytics in food supply chains for transition to a circular economy and sustainable operations management. *Journal of Enterprise Information Management*, 38, 219–242. <https://doi.org/10.1108/JEIM-12-2020-0521>
- Kumar, T. B., & Prashar, D. (2021). Review on efficient food waste management system using internet of things. *International Journal of Current Research and Review*, 13, 143. <https://doi.org/10.31782/IJCRR.2021.13603>
- Kumar, I., Rawat, J., Mohd, N., & Husain, S. (2021). Opportunities of artificial intelligence and machine learning in the food industry. *Journal of Food Quality*, 2021, 1–10. <https://doi.org/10.1155/2021/4535567>
- Lau, S., Zakaria, R., Aminudin, E., Saar, C. C., Abidin, N., Roslan, A., Abd Hamid, Z., Zain, M. M., & Lou, E. 2019. Identification of roadmap of fourth construction industrial revolution. In: *IOP*

- Conference Series: Materials Science and Engineering, 615, 012029. IOP Publishing, Stuttgart, Germany.
- Li, T., Shang, D., Gao, S., Wang, B., Kong, H., Yang, G., Shu, W., Xu, P., & Wei, G. (2022). Two-dimensional material-based electrochemical sensors/biosensors for food safety and biomolecular detection. *Biosensors*, 12, 314. <https://doi.org/10.3390/bios12050314>
- Magarelli, G., Freire, A. M., & Silva, L. P. (2023). Electrochemical sensors coupled with machine learning for food safety and quality inspection. In: A. Kumar Shukla (Ed.), *Food quality analysis* (pp. 171–200). Academic Press. <https://doi.org/10.1016/B978-0-323-95988-9.00001-1>.
- Martin-Rios, C., Demen-Meier, C., Gössling, S., & Cornuz, C. (2018). Food waste management innovations in the foodservice industry. *Waste Management*, 79, 196–206. <https://doi.org/10.1016/j.wasman.2018.07.033>
- Marvin, H. J., Bouzembrak, Y., Van Der Fels-Klerx, H., Kempenaar, C., Veerkamp, R., Chauhan, A., Stroosnijder, S., Top, J., Simsek-Senel, G., & Vrolijk, H. (2022). Digitalisation and artificial intelligence for sustainable food systems. *Trends in Food Science & Technology*, 120, 344–348. <https://doi.org/10.1016/j.tifs.2022.01.020>
- Mazlounian, A., Rosenthal, M., & Gelke, H. (2020). Deep learning for classifying food waste. arXiv preprint arXiv:2002.03786.
- Moldovan, M. G., Odagiu, A. C. M., & Pocol, C. B. (2024). The Romanian Agri-food chain seen through the lens of the FLW phenomenon: A research on farmers, processors, distributors. Retailers and NGOs. *ProEnvironment Promediu*, 17, 57.
- Muthurajan, M., Veeramani, A., Rahul, T., Gupta, R. K., Anukiruthika, T., Moses, J., & Anandharamakrishnan, C. (2021). Valorization of food industry waste streams using 3D food printing: A study on noodles prepared from potato peel waste. *Food and Bioprocess Technology*, 14, 1817–1834. <https://doi.org/10.1007/s11947-021-02675-2>
- Nagarajan, S. M., Deverajan, G. G., Chatterjee, P., Alnumay, W., & Muthukumaran, V. (2022). Integration of IoT based routing process for food supply chain management in sustainable smart cities. *Sustainable Cities and Society*, 76, 103448. <http://dx.doi.org/10.2139/ssrn.3565256>
- Nagaraju, T., & Shubhamangala, B.R. 2020. Artificial intelligence powered smart refrigerator to arrest food wastage. In: *Proceedings of the International Conference on Innovative Computing & Communications (ICICC)*. <https://doi.org/10.1007/s40820-020-00528-9>
- Nascimento, A. M., Queiroz, A., De Melo, V. V., & Meirelles, F. S. (2022). Applying artificial intelligence to reduce food waste in small grocery stores. *ISLA 2022 Proceedings*. 6. <https://aisel.aisnet.org/isla2022/6>
- Neme, K., Nafady, A., Uddin, S., & Tola, Y. B. (2021). Application of nanotechnology in agriculture, postharvest loss reduction and food processing: Food security implication and challenges. *Heliyon*, 7, e08539. <https://doi.org/10.1016/j.heliyon.2021.e08539>
- Nida, S., Moses, J. A., & Anandharamakrishnan, C. (2022). 3D extrusion printability of sugarcane bagasse blended with banana peel for prospective food packaging applications. *Sugar Tech*, 24, 764–778. <https://doi.org/10.1007/s12355-021-01095-y>
- Oztemel, E., & Gursev, S. (2020). Literature review of industry 4.0 and related technologies. *Journal of Intelligent Manufacturing*, 31, 127–182. <https://doi.org/10.1007/s10845-018-1433-8>
- Pant, A., Xin Ni, P. L., Chua, C. K., & Tan, U.-X. (2023). Valorisation of vegetable food waste utilising three-dimensional food printing. *Virtual and Physical Prototyping*, 18, e2146593. <https://doi.org/10.1080/17452759.2022.2146593>
- Park, A., & Li, H. (2021). The effect of blockchain technology on supply chain sustainability performances. *Sustainability*, 13, 1726. <https://doi.org/10.3390/su13041726>
- Pearson, S., Camacho-Villa, T. C., Valluru, R., Gaju, O., Rai, M. C., Gould, I., Brewer, S., & Sklar, E. (2022). Robotics and autonomous Systems for net Zero Agriculture. *Current Robotics Reports*, 3, 57–64. <https://doi.org/10.1007/s43154-022-00077-6>
- Penning, B. W., Snelling, W. M., & Woodward-Greene, M. J. (2020). Machine learning in the assessment of meat quality. *IT Professional*, 22, 39–41. <https://doi.org/10.1109/MITP.2020.2986123>
- Poyatos-Racionero, E., Ros-Lis, J. V., Vivancos, J.-L., & Martinez-Manez, R. (2018). Recent advances on intelligent packaging as tools to reduce food waste. *Journal of Cleaner Production*, 172, 3398–3409. <https://doi.org/10.1016/j.jclepro.2017.11.075>
- Rady, A., & Adediji, A. A. (2020). Application of hyperspectral imaging and machine learning methods to detect and quantify adulterants in minced meats. *Food Analytical Methods*, 13, 970–981. <https://doi.org/10.1007/s12161-020-01719-1>
- Raju, R., Bridges, G. E., & Bhadra, S. (2020). Wireless passive sensors for food quality monitoring: Improving the safety of food products. *IEEE Antennas and Propagation Magazine*, 62, 76–89. <https://doi.org/10.1109/MAP.2020.3003216>
- Rejeb, A., Keogh, J. G., & Rejeb, K. (2022). Big data in the food supply chain: A literature review. *Journal of Data, Information and Management*, 4, 33–47. <https://doi.org/10.1007/s42488-021-00064-0>
- Rejeb, A., Rejeb, K., Abdollahi, A., Zailani, S., Iranmanesh, M., & Ghobakhloo, M. (2021). Digitalization in food supply chains: A bibliometric review and key-route main path analysis. *Sustainability*, 14, 83. <https://doi.org/10.3390/su14010083>
- Režek Jambak, A., Nutrizio, M., Djekić, I., Pleslić, S., & Chemat, F. (2021). Internet of nonthermal food processing technologies (Iontp): Food Industry 4.0 and sustainability. *Applied Sciences*, 11, 686. <https://doi.org/10.3390/app11020686>
- Ribeiro, A. P., Rok, J., Harmsen, R., Carreón, J. R., & Worrell, E. (2019). Food waste in an alternative food network—a case-study. *Resources, Conservation and Recycling*, 149, 210–219. <https://doi.org/10.1016/j.resconrec.2019.05.029>
- Riesenegger, L., Santos, M. J., Ostermeier, M., Martins, S., Amorim, P., & Hübner, A. (2023). Minimizing food waste in grocery store operations: Literature review and research agenda. *Sustainability Analytics and Modeling*, 3, 100023. <https://doi.org/10.1016/j.samod.2023.100023>
- Rusch, M., Schögl, J. P., & Baumgartner, R. J. (2023). Application of digital technologies for sustainable product management in a circular economy: A review. *Business Strategy and the Environment*, 32, 1159–1174. <https://doi.org/10.1002/bse.3099>
- Sánchez-Molina, J. A., Rodríguez, F., Moreno, J. C., Sánchez-Hermosilla, J., & Giménez, A. (2024). Robotics in greenhouses. Scoping review. *Computers and Electronics in Agriculture*, 219, 108750. <https://doi.org/10.1016/j.compag.2024.108750>
- Senguler, B., & Kirkin, C. (2024). Valorisation of cold plasma-treated onion skin waste in chocolate production. *International Journal of Food Science & Technology*, 59, 9368–9375. <https://doi.org/10.1111/ijfs.17582>
- Senturk, S., Senturk, F., & Karaca, H. (2023). Industry 4.0 technologies in Agri-food sector and their integration in the global value chain: A review. *Journal of Cleaner Production*, 408, 137096. <https://doi.org/10.1016/j.jclepro.2023.137096>
- Sevilla, F. R. S., Liu, Y., Barocio, E., Korba, P., Andrade, M., Bellizio, F., Bos, J., Chaudhuri, B., Chavez, H., Cremer, J., & Eriksson, R. (2022). State-of-the-art of data collection, analytics, and future needs of transmission utilities worldwide to account for the continuous growth of sensing data. *International Journal of Electrical Power & Energy Systems*, 137, 107772. <https://doi.org/10.1016/j.ijepes.2021.107772>
- Shaikh, T. A., Rasool, T., & Lone, F. R. (2022). Towards leveraging the role of machine learning and artificial intelligence in precision

- agriculture and smart farming. *Computers and Electronics in Agriculture*, 198, 107119. <https://doi.org/10.1016/j.compag.2022.107119>
- Simon, J., Trojanova, M., Zbihlej, J., & Sarosi, J. (2018). Mass customization model in food industry using industry 4.0 standard with fuzzy-based multi-criteria decision making methodology. *Advances in Mechanical Engineering*, 10, 1687814018766776. <https://doi.org/10.1177/1687814018766776>
- Şimşek, A. B. (2024). AI in managing perishable goods inventory. In: K. Wongmahesak, N. Phongkraphan, & N. Lekhavichit (Eds.), *Modern management science practices in the age of AI* (pp. 29–70). IGI Global. <https://doi.org/10.4018/979-8-3693-6720-9.ch002>
- Song, X., Shukla, S., & Kim, M. (2018). Detection of Cronobacter species in powdered infant formula using immunoliposome-based immunomagnetic concentration and separation assay. *Food Microbiology*, 72, 23–30. <https://doi.org/10.1016/j.fm.2017.11.002>
- Sridhar, A., Ponnuchamy, M., Kumar, P. S., Kapoor, A., Vo, D. V. N., & Rangasamy, G. (2023). Digitalization of the agro-food sector for achieving sustainable development goals: A review. *Sustainable Food Technology*, 1, 783–802. <https://doi.org/10.1039/D3FB00124E>
- Tao, Q., Ding, H., Wang, H., & Cui, X. (2021). Application research: Big data in food industry. *Food*, 10, 2203. <https://doi.org/10.3390/foods10092203>
- Thakur, B., Zhou, G., Chang, J., Pu, H., Jin, B., Sui, X., Yuan, X., Yang, C.-H., Magruder, M., & Chen, J. (2018). Rapid detection of single *E. coli* bacteria using a graphene-based field-effect transistor device. *Biosensors and Bioelectronics*, 110, 16–22. <https://doi.org/10.1016/j.bios.2018.03.014>
- Tian, Y., Cai, R., Yue, T., Gao, Z., Yuan, Y., & Wang, Z. (2022). Application of nanostructures as antimicrobials in the control of food-borne pathogen. *Critical Reviews in Food Science and Nutrition*, 62, 3951–3968. <https://doi.org/10.1080/10408398.2021.1871586>
- Tracey, C. T., Predeina, A. L., Krivoschapkina, E. F., & Kumacheva, E. (2022). A 3D printing approach to intelligent food packaging. *Trends in Food Science & Technology*, 127, 87–98. <https://doi.org/10.1016/j.tifs.2022.05.003>
- Van, J. C. F., Tham, P. E., Lim, H. R., Khoo, K. S., Chang, J.-S., & Show, P. L. (2022). Integration of Internet-of-Things as sustainable smart farming technology for the rearing of black soldier fly to mitigate food waste. *Journal of the Taiwan Institute of Chemical Engineers*, 137, 104235. <https://doi.org/10.1016/j.jtice.2022.104235>
- Velásquez, D., Sánchez, A., Sarmiento, S., Toro, M., Maiza, M., & Sierra, B. (2020). A method for detecting coffee leaf rust through wireless sensor networks, remote sensing, and deep learning: Case study of the caturra variety in Colombia. *Applied Sciences*, 10, 697. <https://doi.org/10.3390/app10020697>
- Visciano, P., & Schirone, M. (2021). Food frauds: Global incidents and misleading situations. *Trends in Food Science & Technology*, 114, 424–442. <https://doi.org/10.1016/j.tifs.2021.06.010>
- Vittuari, M., De Menna, F., García-Herrero, L., Pagani, M., Brenes-Peralta, L., & Segrè, A. (2019). Food systems sustainability: the complex challenge of food loss and waste. In: R. Accorsi, & R. Manzini (Eds.), *Sustainable food supply chains* (pp. 249–260). Academic Press. <https://doi.org/10.1016/B978-0-12-813411-5.00017-X>
- Wei, L., Prabhakar, G., & Duong, L. N. K. (2023). Usage of online food delivery in food waste generation in China during the crisis of COVID-19. *International Journal of Food Science & Technology*, 58, 5602–5608. <https://doi.org/10.1111/ijfs.16552>
- Wesley, S. J., Raja, P., Raj, A. A., & Tiroutchelvarmae, D. (2014). Review on-nanotechnology applications in food packaging and safety. *International Journal of Engineering Research*, 3, 645–651. <https://doi.org/10.17950/ijer/v3s11/1105>
- Wong, G. H. C., Pant, A., Zhang, Y., Chua, C. K., Hashimoto, M., Leo, C. H., & Tan, U.-X. (2022). 3D food printing–sustainability through food waste upcycling. *Materials Today: Proceedings*, 70, 627–630. <https://doi.org/10.1016/j.matpr.2022.08.565>
- Yang, D., Wang, F., Hu, Y., Lan, Y., & Deng, X. (2021). Citrus Huanglongbing detection based on multi-modal feature fusion learning. *Frontiers in Plant Science*, 12, 809506–809506. <https://doi.org/10.3389/fpls.2021.809506>
- Yavari, F., & Pilevari, N. (2020). Industry revolutions development from Industry 1.0 to Industry 5.0 in manufacturing. *Journal of Industrial Strategic Management*, 5, 44–63.
- Yiannas, F. (2018). A new era of food transparency powered by blockchain. *Innovations: Technology, Governance, Globalization*, 12, 46–56. https://doi.org/10.1162/inov_a_00266
- Zainal Arifin, M. A., Mohd Adzahan, N., Zainal Abedin, N. H., & Lasik-Kurdyś, M. (2023). Utilization of food waste and by-products in the fabrication of active and intelligent packaging for seafood and meat products. *Food*, 12, 456. <https://doi.org/10.3390/foods12030456>
- Zhu, J., Luo, Z., Liu, Y., Tong, H., & Yin, K. (2022). Environmental perspectives for food loss reduction via smart sensors: A global life cycle assessment. *Journal of Cleaner Production*, 374, 133852. <https://doi.org/10.1016/j.jclepro.2022.133852>



DSPACE

<https://dspace.org/>

Food loss and waste reduction by using Industry 4.0 technologies: examples of promising strategies

Arshad, Rai Naveed; Abdul-Malek, Zulkurnain; Parra-López, Carlos; Hassoun, Abdo; Qureshi, Muhammad Imran ...

2025-01-06

Oxford University Press (OUP)

<https://doi.org/10.1093/ijfood/vvaf034>

Arshad RN, Abdul-Malek Z, Parra-López C, et al., (2025) Food loss and waste reduction by using Industry 4.0 technologies: examples of promising strategies. International Journal of Food Science and Technology, Volume 60, Issue 1, January 2025, Article number vvaf034