

Accepted Manuscript


Title: A review of soft computing applications in supply chain management

Authors: Mark Ko, Ashutosh Tiwari, Jörn Mehnen

PII: S1568-4946(09)00164-1
DOI: doi:10.1016/j.asoc.2009.09.004
Reference: ASOC 681

To appear in: *Applied Soft Computing*

Received date: 24-1-2009
Revised date: 12-8-2009
Accepted date: 5-9-2009



Please cite this article as: M. Ko, A. Tiwari, A review of soft computing applications in supply chain management, *Applied Soft Computing Journal* (2008), doi:10.1016/j.asoc.2009.09.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

This research aims at reviewing the common soft computing techniques applied to supply chain management, exploring the current research trends and identifying opportunities for further research.

The main issues to address include: What are the main problems within supply chain that have been investigated using soft computing techniques? What techniques have been employed? What are the main findings and achievements up to date? What are the major obstacles that have ever been encountered and how might they be overcome?

This paper is organised in five sections. Subsequent to the introduction in the first section, the soft computing and supply chain management techniques are briefed in the second and third section. The fourth section describes the research methodology used in this paper. The fifth section examines the existing research of applying soft computing techniques to a variety of fields in supply chain management. Then the key findings are concluded. Finally, a summary of existing studies and a discussion on the future research directions are provided.

2. Soft computing

Soft computing is a group of unique methodologies, contributed mainly by Expert System (ES), Fuzzy Logic (FL), Neural Networks (NN), and Evolutionary Algorithms (EA), which provide flexible information processing capabilities to solve real-life problems. The advantages of employing soft computing is its capability to tolerate imprecision, uncertainty, and partial truth to achieve tractability and robustness on simulating human decision-making behaviour with low cost (Pal and Ghosh, 2004). In other words, soft computing provides the opportunity to represent ambiguity in human thinking with the uncertainty in real life (Roy et al., 1999). The major soft computing techniques are briefed as following.

2.1. Fuzzy Logic

Fuzzy set theory was initiated by Lotfi Zadeh in 1965. In the 1970s a complete theory of evidence dealing with information from multiple sources was produced by Glenn Shafer (Ross, 2004). It provides a mathematical framework to treat and represent uncertainty in the perception of vagueness, imprecision, partial truth, and lack of information (Tettamanzi and Tomassini, 2001).

As the basic theory of soft computing, fuzzy logic supplies mathematical power for the emulation of the thought and perception processes (Sinha and Gupta, 2000). Fuzzy systems are very useful not only in situations involving highly complex systems but also in situations where an approximate solution is warranted (Ross, 2004). To deal with qualitative, inexact, uncertain and complicated processes, the fuzzy logic system can be well-adopted since it exhibits a human-like thinking process (Du and Wolfe, 1997).

Fuzzy logic is a mathematical formal multi-valued logic concept which uses fuzzy set theory. Its goal is to formalise the mechanisms of approximate reasoning. Fuzzy logic has widely been applied in various areas. Fuzzy control is one prominent example. In fuzzy control, data is characterised by linguistic variables and expert knowledge (IF-Then-rules) using these variables is mapped into rule bases. In fuzzy control these bases can be used for logical inferences for controlling purposes (Petry and Zhao, 2009). One of the reasons for the success of fuzzy logic is that the linguistic variables, values and rules enable the engineer to translate human knowledge into computer evaluable representations seamlessly (Tettamanzi and Tomassini, 2001). Fuzzy rule bases – if sufficiently small – can be interpreted by an engineer. This is different to Neural Networks (see next section), which are essentially black boxes. The treatment of data from a linguistic viewpoint is a major consideration in fuzzy set theory.

Fuzzy logic is one of the techniques of soft-computing which can deal with impreciseness of input data and domain knowledge and giving quick, simple and often sufficiently good approximations of the desired solutions. Fuzzy logic is different from probability theory because fuzzy logic is deterministic rather than probabilistic. Imprecision is modeled via fuzzy sets, linguistic variables, membership functions, inferences and defuzzification. These concepts are all handled in an entirely deterministic manner. There exist various forms of formal fuzzy logic, fuzzy set theory and fuzzy control systems. For example, uncertainty in the membership functions in fuzzy set theory, i.e. uncertainty about the actual value of a membership function, has been addressed by type-2 fuzzy sets (Zadeh, 2008). Fuzzy logic operators (such as fuzzy ‘and’, ‘or’, ‘not’ operators) and defuzzification (i.e. the transformation of a fuzzy set into a crisp value), can be modeled in various ways and are still widely discussed. A prominent example how fast growing and complex the field of fuzzy-logic has become can be seen from the t-norm, which is a non-classics logic operator used for fuzzy conjunctions interpretation.

There exists a plethora of t-norm fuzzy logics which are discussed e.g. by Esteva, Godo and Montagna (Esteva et al., 2001).

From the area of data modelling, fuzzy sets have not only been extended to data summarisation by developing more abstract concepts and fuzzy gradual rules, but also been applied to pattern recognition, e.g. fuzzy clustering algorithms (Bosc et al., 2005). In addition, a fuzzy multi-criteria decision making algorithm has been developed for the network reconfiguration problem. It has been implemented in a proof-of-concept tool and applied to multi-criteria problems successfully (Bernardon et al., 2009).

2.2. Neural Network

A neural network is a parallel distributed information processing structure consisting of a number of nonlinear processing units called neurons. The neuron operates as a mathematical processor performing specific mathematical operations on its inputs to generate an output (Musilek and Gupta, 2000). It can be trained to recognise patterns and to identify incomplete patterns by duplicating the human-brain processes of recognising information, burying noise literally and retrieving information correctly (Kartalopoulos, 1996).

In terms of modelling, remarkable progress has been made in the last few decades to improve artificial neural networks (ANN). Artificial neural networks are strongly interconnected systems of so called neurons which have simple behaviour, but when connected they can solve complex problems. Changes may be made further to enhance its performance (Kartalopoulos, 1996).

Neural networks and fuzzy systems, usually regarded as elements of artificial intelligence, have their shortcomings. Some of these shortcomings may be overcome if fuzzy logic operations are incorporated into neural networks and neural networks are classified into fuzzy systems (Kartalopoulos, 1996). In fact, several authors have already combined fuzzy logic with neural network as neural-fuzzy systems (Yager, 1994). It may be a new class of computing systems provided by the integration of all these evolving disciplines for the emulation of higher-order cognitive power (Sinha and Gupta, 2000). They have been applied in various products in a number of fields.

2.3. Genetic Algorithms

Evolutionary algorithms (EA) were invented to mimic some of the processes observed in natural evolution. Evolution occurs on chromosomes - organic devices for encoding the structure of living beings. Processes of natural selection then drive those chromosomes that encode successful structures to reproduce more frequent than those that encode failed structures. In other word, the chromosomes with the best evaluations tend to reproduce more often than those with bad evaluations. By using simple encodings and reproduction mechanisms, the algorithms can then display complicated behaviour and turn out to solve some extremely difficult problems (Davis, 1991).

Genetic algorithms (GA) are a special subclass of a wider set of EA techniques. In the following they are especially highlighted due to their common appearance. GA were named and introduced by John Holland in the mid-1960s. Then Lawrence Fogel began to work on evolutionary programming and Ingo Rechenberg and Hans-Paul Schwefel introduced the evolution strategy. In resolving difficult problems where little is known, their pioneered work stimulated the development of a broad class of optimisation methods (Tettamanzi and Tomassini, 2001). Subsequently the genetic algorithms were studied by De Jong and Goldberg. Others such as Davis, Eshelman, Forrest, Grefenstette, Koza, Mitchell, Riolo, and Schaffer, to name only a few, GA had been most frequently applied to the domain of optimisation (Back et al., 1997).

Based on the principles of natural evolution, genetic algorithms are robust and adaptive methods to solve search and optimisation problems (Silva et al., 2005). Because of the robustness of genetic algorithms, a vast interest had been attracted among the researchers all over the world (Goldberg, 1989). In addition, by simulating some features of biological evolution, genetic algorithms can solve problems where traditional search and optimisation methods are less effective. Therefore, genetic algorithms have been demonstrated to be promising techniques which have been applied to a broad range of application areas (Sinha and Gupta, 2000). The ability to apply genetic algorithms to real-world problems has improved significantly over the past decade (Davis, 1991). The applications will be introduced further in later sections.


3. Supply Chain Management

Christopher (2004) defined supply chain management as the management of upstream and downstream relationships with suppliers and customers to deliver superior customer value at less cost to the supply chain as a whole. Harrison and Hoek (2005) described the supply chain management as a plan and control all of the processes that link partners in a supply chain together in order to meet end-customers' requirements.

As the sub-process of supply chain management, logistics deals with planning, handling, and control of the storage of goods between manufacturer and consumer (Silva et al., 2005). Rushton et al. (2000) described another well-known definition of logistics as the strategic management of movement, storage, and information relating to materials, parts, and finished products in supply chains, through the stages of procurement, work-in-progress and final distribution.

As demonstrated in Figure 1, the concept of supply chain refers to the idea of developing a logistics pipeline approach for finished goods to transfer through the supply chain (Rushton et al., 2000). The supply chain highlights the close partnership from upstream supplier, transport operator, manufacturer, to the downstream 3rd party distributor and retailer. Its objective is to produce and distribute the commodity in the right quantity, to the right place, and at the right time to minimise overall cost while maintaining customer satisfaction.

Figure 1. The concept of the supply chain



Source: Rushton et al. (2000)

The challenges encountered in the logistics processes and supply chain network will be discussed in later sections.

4. Methodology

The research methodology involves reviewing papers for soft computing techniques applied to the related processes in supply chain management.

4.1. Sources and search methods

The databases that had been searched in this study include ScienceDirect, Emerald, ProQuest, Inspec, and Comrendex. The reviewed papers were sorted out from more than 40 journals such as European Journal of Operational Research, International Journal of Production Economics, Computers & Industrial Engineering, Expert Systems with Applications, Computers & Operations Research, Fuzzy Sets and Systems, Decision Support Systems, Applied Soft Computing and Applied Mathematics and Computation.

Initially, two groups of keywords were used to cross-search related papers in specific databases. The first group of key words includes soft computing, artificial intelligence, neural network, fuzzy logic, evolutionary computation, and genetic algorithm while the second group includes supply chain, transportation, logistics, forecasting, and inventory. Given the specific interest in how soft computing techniques have been applied to supply chain management, the empirical and diverse studies published from 1990 to 2008 were selected for further analysis. Additionally, the reference sections of these papers were reviewed to locate additional studies of interest.

As a result, the final references consist of 163 papers published in referred journals.

4.2. Scope

The concept of supply chain management has been analysed by many researchers from various perspectives. However, it is beyond the scope of this paper to address all problems in details. In an attempt to provide a more intensive review of existing papers in this area, this paper mainly focuses on management-related issues. The studies with non-management-related subjects will not be discussed in this paper, such as robotics and automation, traffic flow prediction, public transportation policy, traffic congestion/control, traffic flow and its pattern analysis.

The soft computing techniques and their applications have been developed vastly in recent years. The techniques introduced in section 2 are the major focus in this research.

4.3. Framework

The framework applied in this research is defined and developed by the Global Supply Chain Forum (GSCF) (Cooper et al., 1997; Lambert et al., 1998; Lambert et al., 2005) sponsored by the Council of Logistics Management (since 2005 it is called the Council of Supply Chain Management Professionals). The following eight processes of supply chain management have been categorised by the GSCF:

- Manufacturing flow management
- Order fulfilment
- Demand management
- Supplier relationship management
- Product development and commercialisation
- Returns management
- Customer service management
- Customer relationship management

The sub-processes of the GSCF framework are illustrated in Appendix 1. All reviewed papers are classified into the categories introduced above.

Review articles on similar subjects have been published previously (Dougherty, 1995 & 1997). However, both papers mainly concentrated on transportation issues instead of the whole supply chain domain.

5. The target subject processes


To refer to the eight processes of supply chain management categorised by the GSCF, the review of existing papers is classified into the following sections.

5.1. Manufacturing flow management

The challenge to improve manufacturing performance has drawn the attention of researchers to employ diverse soft computing techniques. This becomes evident from the over 60 papers in manufacturing field which are included in this review.


As shown in Figure 2, the initial paper with respect to application of soft computing in manufacturing flow management was accepted in 1990. There were only a few works in this area before 2001. Nevertheless, it demonstrates a steady rise in the number of papers since 2003 and reaches a peak in 2008. The evidence seems to be strong that more studies can be anticipated in the near future.

Figure 2. Number of papers in manufacturing flow management



The researchers' interest can be identified through the allocation of these papers in sub-processes, as demonstrated in Figure 3. Materials planning has drawn researchers' major attention. Particularly, there are 39 pieces of work focusing on materials planning, which make up 62.9% of all papers within the manufacturing flow management field.

Figure 3. Distribution of papers in sub-processes of manufacturing flow management



Materials planning / inventory management

Expert systems have been used by early studies for dealing with inventory control and planning (Ehrenberg, 1990; Turksen and Berg, 1991; Prasad et al., 1996; Anagun, 1997; Mak et al., 1999). Then Fuzzy logic and neural network were applied to industry and had been discussed by Du and Wolfe (1997). A fuzzy model was developed by Li et al. (2002) to address single-period inventory problem.

Recently the typical inventory problems such as the order-quantity and reorder-point problem or the two storage inventory problem, have been solved by the development of multi-objective inventory model (Maiti and Maiti, 2006, 2007; Maiti, et al., 2006a, 2006b; Maiti, 2008; Dey, et al., 2008). The economic lot-size scheduling problems were solved by a GA-based heuristic approach as well (Chang et al., 2006a, Pourakbar et al., 2007). There were also a few studies concentrated on fuzzy order and production quantity with or without backorder problems (Yao and Lee, 1996; Lee and Yao, 1998, 1999; Chang et al., 1998; Samanta and Al-Araimi, 2001; Mondal and Maiti, 2003; Yao et al., 2000; Wang et al., 2007),

An early research of multi-criteria inventory classification was presented by Guvenir and Erel (1998). Later the multi-item inventory model was formulated to solve the multi-buyer joint replenishment problem (Chan et al., 2003), the cost-saving problem for deteriorating items (Roy et al., 2008), and the supplier selection problem (Rezaei and Davoodi, 2008). Kochel and Nielander (2005) showed that simulation-based optimisation can be applied to multi-location inventory systems successfully. Chang et al. (2008a) derived a GA-based model for the joint optimisation for the multi-buyer and single-supplier problem. A fuzzy decision making model was developed to analyse the trade-

off effect between customer service level and inventory cost (Wang and Shu, 2005) and to solve inventory problems with fuzzy random variables (Xu and Liu, 2008). Based on an enhanced fuzzy neural network, Li and Kuo (2008) developed a decision support system to manage automobile spares inventory. Furthermore, Wu and Hsu (2008) proposed a GA-neural network approach to reduce spare parts logistics costs.

Other inventory-related issues approached by researchers include vendor managed inventory problems (Nachiappan and Jawahar, 2007; Chi et al., 2007), ABC classification of stock keeping units (Partovi and Anandarajan, 2002), optimisation of transportation cost as well as inventory cost (Yokoyama, 2002), shelf space allocation problems (Hwang et al., 2005), determination of base-stock levels in a serial supply chain (Daniel and Rajendran, 2006).

Supply chain planning

Supply chain planning is focused on synchronising and optimising multiple activities involved in the enterprise from procurement of raw materials to the delivery of finished products to end customers (Roghanian et al., 2007).

Genetic algorithms and artificial neural networks have been applied to derive optimal solutions for collaborative supply chain planning (Chiu and Lin, 2004; Smirnov et al., 2004; Berning et al., 2004; Han and Damrongwongsiri, 2005). Moon et al. (2002; 2008) integrated process planning and scheduling model for resource allocation in multi-plant supply chain and Huin et al. (2003) presented a knowledge-based model for resource planning. Subsequently Huang et al. (2005) designed a supply chain model to integrate production and supply sourcing decisions. Also, Roghanian et al. (2007) applied fuzzy programming technique to solve multi-objective programming problem in supply chain planning.

Production planning

Genetic algorithms have been applied to solve production planning problems. The general capacitated lot-sizing problem was studied by Xie and Dong (2002) initially. Ossipov (2005) then proposed a heuristic algorithm to optimise the sequence of customer orders in production line. Moreover, Kampf and Kochel (2006) focused on simulation-based sequencing and lot size optimisation

while Bjork and Carlsson (2007) analysed the effect of flexible lead times by developing a combined production and inventory model. In addition, lot scheduling (Chatfield, 2007) and batch manufacturing problems (Li et al., 2007) were addressed.

Other issues

Other issues that have been addressed in the area of manufacturing flow management include improvement of procurement decision quality (Lau et al., 2005), load planning for a maritime container ship (Imai et al., 2006), resource management for allocation of containers (Lau et al., 2004), internet-enabled global manufacturing management (Ulieru et al., 2002), truckload scheduling in an automatic storage and retrieval warehouse (Oliveira, 2007), forward-backward analysis of dynamic supply chain enabled by Radio Frequency Identification (RFID) (Kim et al., 2008), maximum warehouse space requirement (Yao and Chu, 2008), and evaluation of ERP performance (Chang et al., 2008b)


5.2. Order fulfilment

Order fulfilment is one of the key measures to reflect customer service performance. A “perfect order” implies the completion of an order that entirely satisfies customer requirements. The key components to grade actual order fulfilment are whether orders were delivered on time, in full, damage free, with accurate and complete documentation (Rushton et al., 2000). How to fulfil these requirements has become a major challenge of supply chain management.

Within the growing papers in supply chain domain, genetic algorithms have been applied to some challenging tasks successfully, such as logistics network design, vehicle routing, and vehicle scheduling problems. In addition to that, there are other interesting works that develop genetic algorithm approaches for customer allocation and shipping alternatives selection.


As illustrated in Figure 4, the number of papers regarding order fulfilment increased slowly, with some fluctuations, between 1995 and 2003. However, a dramatic growth can be observed from 2004 to 2008.

Figure 4. Number of papers in order fulfilment



Within the 49 papers regarding order fulfilment in supply chain management, a half of the researchers concentrated on logistics network design and planning problems while the others focused on vehicle routing and assignment and other issues, as revealed in Figure 5.

Figure 5. Distribution of papers in sub-processes of order fulfilment



Logistics network design / planning

The network design problems have been recognised as one of the most comprehensive strategic decisions that need to be focused to develop a long-term optimal supply chain (Altıparmak et al., 2006; 2009).

Genetic algorithms have been employed to solve dynamic logistics network design and planning problems, such as multi-stage logistic network design and optimisation (Syarif et al., 2002; Xu et al.,

2006; Altıparmak et al., 2006; Farahani and Elahipanah, 2008; Jawahar and Balaji, 2009; Xu et al., 2008a; Xu et al., 2008b), freight transportation planning (Ma and Davidrajuh, 2005; Jo et al., 2007), multi-time period production and distribution planning (Gen and Syarif, 2005; Aliev et al., 2007), logistic process optimisation (Silva et al., 2005; 2007; 2008), and vehicle transshipment planning in seaport terminal (Fischer and Gehring, 2005). Other researchers concentrated on truckload assignment (Caputo et al., 2006), container shipping and repositioning (Shintani et al., 2007), concrete distribution (Naso et al., 2007), and third party logistics (3PLs) services integration (Ko et al., 2006; Ko and Evans, 2007). The promising results from these applications indicate that evolutionary algorithms are suitable to work in a complicated and uncertain environment.

Teodorovic (1999) proved that fuzzy logic could be a very promising mathematical approach to solve complex traffic and transportation problems. Sheu (2004; 2006; 2008) firstly presented a hybrid fuzzy-based methodology to identify global logistics strategies then achieved a remarkable cost saving and customer service enhancement by allocating logistics resources dynamically.

Vehicle routing / assignment

Dynamic vehicle routing and scheduling problems have drawn logistics managers and researchers' attention since 1990. It could be a key parameter for companies to develop competitive advantages in order to differentiate themselves from other competitors.

In order to pick up and deliver within specific time window, Slater (2002) used expert system and artificial intelligence to predict e-commerce customer orders. Also, Pankratz (2005) justified that a GA-based approach is able to find quality solution to meet the increasing demands on flexible and prompt transportation services.

In addition, Arslan and Khisty (2005; 2006) proved that fuzzy logic could be a promising approach to model driver's psychology and behaviour in route choice. Ganesh and Narendran (2007) produced an encouraging result on vehicle routing problem with pick-up and delivery sequence constraints while Ho et al. (2008) proposed a hybrid genetic algorithm to solve similar problem with multiple depots. Furthermore, Hu and Sheu (2003) explored the potential advantage of fuzzy clustering techniques in classifying pre-trip customers by their demand attributes for further vehicle dispatching and routing

operations. Lin et al. (2008) proved that the proposed coordinated distribution mechanism is feasible to solve distribution scheduling problems.

Torabi et al. (2006) found that a hybrid genetic algorithm is more promising in minimising transportation cost in a simple supply chain. A survey of different heuristic shortest path algorithms for demand-responsive transportation applications was presented by Fu et al. (2006).

In terms of vehicle assignment, Vukadinovic et al. (1999) concluded that neural networks can refine the fuzzy system to achieve better performance. In addition, Potvin et al. (1995) reported an experimental result with data provided by a courier service company and proved that the neural network outperform the linear programming model in vehicle dispatching.

Other issues

To ensure an effective logistics decision-making process, Toivonen et al. (2006) analysed both qualitative and quantitative information from customers. Schneeweiss (2003) indicated possible synergies between various sciences, such as applied mathematics and artificial intelligence, to solve distributed decision making problems. Additionally, Zhou et al. (2002; 2003) found an optimal solution, by considering total transit time and shipping cost simultaneously, to allocate customers to available warehouses or distribution centres. Then Yang et al. (2007) developed a GA-based model to select distribution centre location while total relevant cost is minimised.

With respect to measurement of supply chain performance, Chan et al. (2003) provided a simple mathematical model to calculate performance index. Lin et al. (2006) developed a fuzzy agility index to identify supply chain weaknesses and to devise further improvement plan. Subsequently, Jain et al. (2008) proposed a practical method for decision makers to evaluate agility in supply chains.

Dullaert et al. (2005) suggested an evolutionary algorithm to determine the optimal combination of shipping alternatives to minimise total logistics costs. Celik (2004) concluded that artificial neural networks are a very promising tool to predict the short-term inter-regional freight distribution.


Interestingly the majority of these papers address mainly the ground transportation issues. Only a few studies focus on maritime and aviation industries. This may be due to confidentiality reasons (Dougherty, 1995; 1997).

5.3. Demand management

Demand management plays a critical role within supply chain management. A reliable demand forecast can improve the quality of organisational strategy (Kuo, 2001). The domain of demand management has been a major interest in soft computing since 1990s. Subsequently, considerable research has been performed on the subject of sales and demand forecasting.


As shown in Figure 6, the applications in demand management fluctuated before 2004, yet an obvious growth has started since 2005. On this basis it may infer the possibility of more work to be published in this field in 2009 and after.

Figure 6. Number of papers in demand management



Regarding the papers in respective sub-processes of demand management, sales forecasting has attracted most researchers' attention with 80% of total work, as shown in Figure 7.

Figure 7. Distribution of papers in sub-processes of demand management



Sales forecasting

As an integral part of almost all business enterprises, forecasting is the process of predicting the future (Lawrence and Pasternack, 2002). Manufacturing firms forecast future demand to prepare necessary manpower and raw materials for production. Service companies forecast customer arrival patterns to maintain appropriate staffing to serve customer demands. Therefore, forecasting is one of the major strategic activities in organisational decision-making processes for demand management.

In fact, there is no perfect solution available to solve these problems due to the uncertainty and difficulty to predict market demand. However, a reliable sales forecasting can enhance the overall performance of an organisation effectively. On the contrary, the inaccuracy of forecasting typically results in considerable disturbance in production planning.

Artificial neural networks have been recognised as a valuable tool for forecasting. The major advantages to employ artificial neural networks in forecasting include its self-adaptive capability to learn from experience as well as to generalise results from sample data with noise. In addition, to compare with conventional statistical methods, artificial neural networks can model continuous functions to any desired accuracy (Sprecher, 1965). Furthermore, as opposed to the traditional linear and nonlinear time series models, artificial neural networks are nonlinear data-driven approaches with more flexibility and effectiveness in modelling for forecasting (Zhang et al., 1998).

For instance, the artificial neural network has been applied to sales forecasting since 1998 (Kuo and Xue, 1998a, 1998b, 1999; Kuo, 2001; Kuo et al., 2002). Similar approach had been used to sales forecasting in other industries as well, such as printed circuit board industry (Chang et al., 2005; 2006b; 2007; 2008c; Chang and Wang, 2006), textile and apparel industry (Frank et al., 2003; Thomassey et al., 2005a, 2005b; Thomassey and Happiette, 2007), aggregate retail industry (Alon et al., 2001; Chu and Zhang, 2003), food products (Doganis et al., 2006), and glass products (Jeong et al., 2002).

Besides, Wall et al. (1992) presented a prototype supply planning system to enhance short-term demand forecast. Ansuj et al. (1996) and Luxhoj et al. (1996) presented a neural-network-based model to achieve more accurate sales forecasting results. In addition, Kimbrough et al. (2002) and Strozzi et al. (2007) analysed the famous beer game for order policy optimisation. Liang and Huang (2006) developed a multi-agent system for agents in supply chain to share information and minimise total cost.

Bullwhip effect

The bullwhip effect is one of the most popular research problems in supply chain management. It describes the distortion on demand forecasting throughout supply chain partners. Soft computing techniques proved to be effective to reduce bullwhip effect in supply chains (Carbonneau et al., 2008; Zarandi et al., 2008; Balan et al., 2009).

Other issues

In addition to the above work, Marx-Gomez et al. (2002) employed neural-fuzzy approach to forecast returns of scrapped products. Aburto and Weber (2007) improved the forecasting accuracy of a replenishment system proposed to a supermarket. Lee and Ou-Yang (2009) developed a neural-network-based model to forecast supplier's bid price in order to shorten the lead time in supplier selection.

5.4. Supplier relationship management

Several papers used fuzzy logic approach to monitor and measure suppliers' performance based on different criteria (Gunasekaran et al., 2006; Chan and Kumar, 2007). For example, Lau et al. (2002) analysed suppliers' product quality and delivery time while Shore and Venkatachalam (2003) focused on the information sharing capability of potential partners. Deshpande et al. (2004) achieved an outstanding performance in assigning tasks to suppliers.

Furthermore, decision support models were proposed to enable a more effective selection of suppliers (Moghadam et al., 2008), vendors (Wang et al., 2008), and 3PL service providers (Isiklar et al., 2007; Efendigil et al., 2008; Buyukozkan et al., 2008). Choy et al. (2002; 2003) used artificial neural network to design an intelligent supplier relationship management system in order to benchmark suppliers' performance and shorten the cycle time of outsourcing. Chiadamrong and Prasertwattana (2006) proposed a genetic algorithm approach for optimisation of incentive scheme to manage performance of supply chain partners to ensure the long-term strategic relationships.

5.5. Product development and commercialisation

The soft computing techniques that have been applied to the sub-processes of product development include product quality enhancement and cost reduction (Tong and Liang, 2005), the relationship

between the shelf space assigned to various brands and the market share (Suarez, 2005), the optimal variable selections of R&D and quality design (Tsai, 2006), and evaluation of supply chain performance for new product (Wang and Shu, 2007).

5.6. Returns management

Min et al. (2006a, 2006b) proposed a GA-based approach to solve reverse logistics problem of managing returned products. Furthermore, Liechens and Vandaele (2007) developed an optimal solution to solve the reverse logistics network design problem while Min and Ko (2008) addressed the similar problem from 3PL service providers' perspective.

5.7. Customer service management

Bottani and Rizzi (2006) presented a fuzzy quality function deployment approach to address customer needs, improve logistics performance, and ensure customer satisfaction.

5.8. Customer relationship management

It seems that there is a lack of papers addressing related issues in this area.

6. Distribution of papers

In this section the distribution and growing trend of all reviewed papers, as well as the employment of soft computing techniques, are analysed and demonstrated according to various criteria.

6.1. Distribution of papers in subject processes

As illustrated in Table 1, numerous research papers have contributed to 7 broad categories of supply chain management. The manufacturing flow management is the most popular area targeted by soft computing applications. The research papers about order fulfilment are slightly more common than the papers regarding demand management. It is clear therefore that papers for those three major subject processes in supply chain management are considerably more than those in other subject processes.

Table 1: Annual distribution of number of papers in respective subject processes

	Manufacturing flow management	Order fulfillment	Demand management	Supplier relationship management	Product development & commercialisation	Returns management	Customer service management	Total
1990	1							1
1991	1							1
1992			1					1
1993								0
1994								0
1995		2						2
1996	2		2					4
1997	2	1						3
1998	3		2					5
1999	2	2	1					5
2000	1							1
2001	1		2					3
2002	6	3	4	2				15
2003	3	4	2	2				11
2004	4	2		1				7
2005	7	7	3		2			19
2006	7	10	4	2	1	2	1	27
2007	10	8	4	2	1	1		26
2008	12	8	3	4	0	1		28
2009		2	2					4
Total	62	49	30	13	4	4	1	163

Additionally, Figure 8 shows the proportion of papers focusing in major subject processes. It reveals that manufacturing flow management, which makes up 38%, is the most popular subject in supply chain management to attract researchers' attention. There are 30.1 % and 18.4 % of research papers concentrating on order fulfilment and demand management respectively.

Figure 8. Proportion of papers in major subject processes




Table 2 provides a breakdown in detail for the connection between researchers and respective research area on an annual basis. The number of papers and the researchers working in related areas has steadily increased since 2002.


Table 2: Annual summary of papers in respective subject processes

	Manufacturing flow management	Order fulfillment	Demand management	Supplier relationship management	Product development & commercialisation	Returns management	Customer service management
1990	Ehrenberg,						
1991	Turksen and Berg,						
1992			Wall et al.,				
1993							
1994							
1995		Potvin et al., Dougherty,					
1996	Prasad et al., Yao and Lee,		Ansuj et al., Luxhoj et al.,				
1997	Anagun, Du and Wolfe,	Dougherty,					
1998	Lee and Yao, Chang et al., Guvenir and Erel,		Kuo and Xue (1998a; 1998b),				
1999	Mak et al., Lee and Yao,	Teodorovic, Vukadinovic et al.,	Kuo and Xue,				
2000	Yao et al.,						
2001	Samanta and Al-Araimi,		Kuo, Alon et al.,				
2002	Li et al., Partovi and Anandarajan, Yokoyama, Moon et al., Xie and Dong, Ulieru et al.,	Syarif et al., Slater, Zhou et al.,	Kuo et al., Jeong et al., Kimbrough et al., Marx-Gomez et al.,	Lau et al., Choy et al.,			
2003	Mondal and Maiti, Chan et al., Huin et al.,	Hu and Sheu, Schneeweiss, Zhou et al., Chan et al.,	Frank et al., Chu and Zhang,	Shore and Venkatachalam, Choy et al.,			
2004	Chiu and Lin, Smirnov et al., Berning et al., Lau et al.,	Sheu, Celik,		Deshpande et al.,			
2005	Kochel and Nielander, Wang and Shu, Hwang et al., Han and Damrongwongsiri, Huang et al., Ossipov, Lau et al.,	Ma and Davidrajuh, Gen and Syarif, Silva et al., Fischer and Gehring, Pankratz, Arslan and Khisty, Dullaert et al.,	Chang et al., Thomassey et al. (2005a; 2005b),		Tong and Liang, Suarez,		
2006	Maiti, M.K. and Maiti, M., Maiti, A.K. et al. (2006a; 2006b), Chang et al. (2006a), Daniel and Rajendran, Kampf and Kochel, Imai et al.,	Altiparmak et al., Xu et al., Caputo et al., Ko et al., Sheu, Arslan and Khisty, Torabi et al., Fu et al., Toivonen et al., Lin et al.,	Chang and Wang, Chang et al. (2006b), Doganis et al., Liang and Huang,	Gunasekaran et al., Chiadamrong and Prasertwattana,	Tsai,	Min et al. (2006a; 2006b),	Bottani and Rizzi,
2007	Maiti, M.K. and Maiti, M., Pourakbar et al., Wang et al., Nachiappan and Jawahar, Chi et al., Roghani et al., Bjork and Carlsson, Chatfield, Li et al., Oliveira,	Jo et al., Aliev et al., Silva et al., Shintani et al., Naso et al., Ko and Evans, Ganesh and Narendran, Yang et al.,	Chang et al., Thomassey and Happiette, Strozzi et al., Aburto and Weber,	Chan and Kumar, Isiklar et al.,	Wang and Shu,	Liechens and Vandaele,	
2008	Maiti, Dey et al., Roy et al., Rezaei and Davoodi, Chang et al. (2008a), Xu and Liu, Li and Kuo, Wu and Hsu, Moon et al., Kim et al., Yao and Chu, Chang et al. (2008b),	Farahani and Elahipanah, Xu et al. (2008a; 2008b), Silva et al., Sheu, Ho et al., Lin et al., Jain et al.,	Chang et al. (2008c), Carbonneau et al., Zarandi et al.,	Moghadam et al., Wang et al., Efendigil et al., Buyukozkan et al.,		Min and Ko,	
2009		Altiparmak et al., Jawahar and Balaji,	Balan et al., Lee and Ou-Yang.,				

6.2. The growing trend of research in supply chain management

As demonstrated in Figure 9, there were only a few studies in the supply chain management area using soft computing approaches in early 90's. Then the produced papers fluctuated slightly from 1995 to 2000. Over the next two years there was a dramatic increase of research. In spite of the decrease in the number of papers from 15 in 2002 to 7 in 2004, the number rose significantly and reached a peak of 28 in 2008. Looking at the general trend, the number of papers can be expected to increase in the future.

Figure 9. Number of papers in supply chain management using soft computing



6.3. The employment of individual soft computing technique

As clearly demonstrated in Table 3, genetic algorithm has become the most frequent soft computing technique that has been applied to both manufacturing flow management and order fulfilment. Neural network has been often applied to demand management. In general, compared with other soft computing techniques, genetic algorithm is relatively popular for researchers.

Table 3: Soft computing techniques applied to respective subject processes

	Manufacturing flow management	Order fulfillment	Demand management	Supplier relationship management	Product development & commercialisation	Returns management	Customer service management	Total
Genetic algorithm	41	29	9	3	2	4		88
Fuzzy Logic	11	11	6	8			1	37
Neural network	9	7	19	4	2			41
Expert system	8	3	1					12
	69	50	35	15	4	4	1	178

Particularly, there are a few works employing more than one soft computing technique for either achieving superior result or comparing respective performance. The techniques used in every individual paper are recorded for analysis. Thus the total number of techniques employed exceeds the number of papers reviewed.

6.4. The papers published by main journals

As revealed in Table 4, 14.1% of these research papers were published by European Journal of Operational Research while 11% of total papers were published by both International Journal of Production Economics and Computers & Industrial Engineering. Expert Systems with Applications, Computers & Operations Research, Fuzzy Sets and Systems and Decision Support Systems are also the major journals recognised by researchers.

Table 4. Papers published by main journals

Journal title	No of papers	Percentage
European Journal of Operational Research	23	14.1%
International Journal of Production Economics	18	11.0%
Computers & Industrial Engineering	18	11.0%
Expert Systems with Applications	16	9.8%
Computers & Operations Research	7	4.3%
Fuzzy Sets and Systems	7	4.3%
Decision Support Systems	7	4.3%
Applied Mathematics and Computation	5	3.1%
Omega-International Journal of Management Science	5	3.1%
Applied Soft Computing	5	3.1%
Journal of Manufacturing Technology Management	4	2.5%
Others	48	29.4%
Total	163	100.0%

7. Discussion, conclusions and future research

Some of the research papers involve more than one domain. Therefore it is difficult to classify individual research to a single category. It is attempted to place each work in the closest representative category. However, this classification scheme aims to draw a general picture for the distribution of related papers. It does not impact the associated findings derived and the uncovered opportunity for future research.

Both genetic algorithms and fuzzy logic approach are the most popular techniques adopted to solve supply chain management problems, particularly in the manufacturing management and order fulfilment issues. Neural networks are broadly used to improve sales forecasting performance.

The numerous and complex data sources are always needed to solve most of the problems in supply chain management. Soft computing tools seem promising and useful to analyse this data and to support manager's decision making in a complex environment.

By examining the number of papers in manufacturing flow management, order fulfilment and demand management, the evidence seems to be strong that the issues in supply chain management have attracted a growing attention. It could be identified that there has been a significant upward trend of applying soft computing techniques to solve diverse supply chain management problems since 2002. The reasons may not only be that more researches have been involved in traditional supply chain domain, but also far more studies have been developed in new areas such as supplier relationship management and product development and commercialisation since 2002. In addition, the emergence of user-friendly tools (e.g. Matlab) enables easier application of soft computing techniques, even by non-specialist users.

An interesting observation is that two or more soft computing techniques were combined or varied to enrich the flexibility of problem solving. According to Table 3, the number of soft computing techniques used is more than the number of papers. It indicates that an integrated solution which combines multiple techniques is developed to pursue superior results. Therefore, there may be a great potential for further research either to improve the efficiency and effectiveness of existing practice or to create a new paradigm by integrating more practical algorithms.

Another suggestion for further research is how to fulfil more practical e-commerce business models by developing a dynamic demand-responsive technology which integrates real time electronic orders and en-route fleet management algorithms. To make or buy is always a trade-off consideration. 3PLs service providers might be an ideal alternative solution to fulfil e-commerce business requirements. With sophisticated information systems and dedicated equipments, 3PLs can provide reliable services to fulfil customer orders, especially for both dynamic forward flows and reverse flows. Thus it could be

an interesting research to make the most of 3PLs' value-added service to develop an integrated and flexible supply chain strategy.

This paper reviews the existing research papers in supply chain management, analyses their distribution in respective subject processes, and provides suggestions for future research. While some of the main problems in supply chain management have been addressed by soft computing techniques, there are still some areas of possible application which have not yet been well explored. This is particularly true in the field of customer service management. The qualitative issues dominate customer service management research. The qualitative nature of this domain also implies that it is difficult to frame problems in this area in a way that soft computing techniques can be readily applied. This may have resulted in the limited number of studies in this area. It is therefore expected that this paper can stimulate more research in the field of supply chain management.

8. Appendix

APPENDIX 1 THE SUB-PROCESSES OF THE GSCF FRAMEWORK

Process	Strategic Sub-Processes	Operational Sub-Processes
Customer Relationship Management	<ol style="list-style-type: none"> 1. Review Corporate and Marketing Strategy 2. Identify Criteria for Categorizing Customers 3. Provide Guidelines for the Degree of Differentiation in the Product/Service Agreement 4. Develop Framework of Metrics 5. Develop Guidelines for Sharing Process Improvement Benefits with Customers 	<ol style="list-style-type: none"> 1. Differentiate Customers 2. Prepare the Account/Segment Management Team 3. Internally Review the Accounts 4. Identify Opportunities with the Accounts 5. Develop the Product/Service Agreement 6. Implement the Product/Service Agreement 7. Measure Performance and Generate Profitability Reports
Customer Service Management	<ol style="list-style-type: none"> 1. Develop Customer Service Strategy 2. Develop Response Procedures 3. Develop Infrastructure for Implementing Responses Procedures 4. Develop Framework for Metrics 	<ol style="list-style-type: none"> 1. Recognize Event 2. Evaluate Situation and Alternatives 3. Implement Solution 4. Monitor and Report
Demand Management	<ol style="list-style-type: none"> 1. Determine Demand Management Goals and Strategy 2. Determine Forecasting Procedures 3. Plan Information Flow 4. Determine Synchronization Procedures 5. Develop Contingency Management System 6. Develop Framework of Metrics 	<ol style="list-style-type: none"> 1. Collect Data/Information 2. Forecast 3. Synchronize 4. Reduce Variability and Increase Flexibility 5. Measure Performance
Order Fulfillment	<ol style="list-style-type: none"> 1. Review Marketing Strategy, Supply Chain Structure and Customer Service Goals 2. Define Requirements for Order Fulfillment 3. Evaluate Logistics Network 4. Define Plan for Order Fulfillment 5. Development Framework of Metrics 	<ol style="list-style-type: none"> 1. Generate and Communicate Order 2. Enter Order 3. Process Order 4. Handle Documentation 5. Fill Order 6. Deliver Order 7. Perform Post Delivery Activities and Measure Performance
Manufacturing Flow Management	<ol style="list-style-type: none"> 1. Review Manufacturing, Sourcing, Marketing, and Logistics Strategies 2. Determine Degree of Manufacturing Flexibility Requirement 3. Determine Push/Pull Boundaries 4. Identify Manufacturing Constraints and Determine Capabilities 5. Development Framework of Metrics 	<ol style="list-style-type: none"> 1. Determine Routing and Velocity through Manufacturing 2. Manufacturing and Materials Planning 3. Execute Capacity and Demand 4. Measure Performance

APPENDIX 1 (CONT.)
THE SUB-PROCESSES OF THE GSCF FRAMEWORK

Process	Strategic Sub-Processes	Operational Sub-Processes
Product Development and Commercialisation	<ol style="list-style-type: none"> 1. Review Corporate, Marketing, Manufacturing and Sourcing Strategies 2. Develop Idea Generation and Screening Processes 3. Establish Guidelines for Cross-functional Product Development Team Membership 4. Identify Product Rollout Issues and Constraints 5. Establish New Product Project Guidelines 6. Develop Framework of Metrics 	<ol style="list-style-type: none"> 1. Define New Products and Assess Fit 2. Establish Cross-functional Product Development Team 3. Formalize New Product Development Project 4. Design and Build Prototypes 5. Make/Buy Decision 6. Determine Channels 7. Product Rollout 8. Measure Process Performance
Supplier Relationship Management	<ol style="list-style-type: none"> 1. Review Corporate, Marketing, Manufacturing and Sourcing Strategies 2. Identify Criteria for Categorizing Suppliers 3. Provide Guidelines for the Degree of Customization in the Product/Service Agreement 4. Develop Framework of Metrics 5. Develop Guidelines for Sharing Process Improvement Benefits with Suppliers 	<ol style="list-style-type: none"> 1. Differentiate Customers 2. Prepare the Supplier/Segment Management Team 3. Internally Review the Supplier/Supplier Segment 4. Identify Opportunities with the Suppliers 5. Develop the Product/Service Agreement and Communication Plan 6. Implement the Product/Service Agreement 7. Measure Performance and Generate Supplier Cost/Profitability Reports
Returns Management	<ol style="list-style-type: none"> 1. Determine Returns Management Goals and Strategy 2. Develop Avoidance, Gatekeeping and Disposition Guidelines 3. Develop Returns Network and Flow Options 4. Develop Credit Rules 5. Determine Secondary Markets 6. Develop Framework of Metrics 	<ol style="list-style-type: none"> 1. Receive Return Request 2. Determine Routing 3. Receive Returns 4. Select Disposition 5. Credit Consumer/Supplier 6. Analyze Returns and Measure Performance

Source: Cooper et al. (1997)

9. References

- Aburto, L. and Weber, R. (2007) Improved supply chain management based on hybrid demand forecasts, *Applied Soft Computing*, Vol. 7, No. 1, pp. 136-144.
- Aliev, R.A., Fazlollahi, B., Guirimov, B.G. and Aliev, R.R. (2007) Fuzzy-genetic approach to aggregate production–distribution planning in supply chain management, *Information Sciences*, Vol. 177, No. 20, pp. 4241-4255.
- Alon, I., Qi, M. and Sadowski, R.J. (2001) Forecasting aggregate retail sales: a comparison of artificial neural networks and traditional methods, *Journal of Retailing and Consumer Services*, Vol. 8, No. 3, pp. 147-156.
- Altıparmak, F., Gen, M., Lin, L. and Karaoglan, I. (2009) A steady-state genetic algorithm for multi-product supply chain network design, *Computers & Industrial Engineering*, Vol. 56, No. 2, pp. 521-537.
- Altıparmak, F., Gen, M., Lin, L. and Paksoy, T. (2006) A genetic algorithm approach for multi-objective optimization of supply chain networks, *Computers & Industrial Engineering*, Vol. 51, No. 1, pp. 196-215.
- Anagun, S. (1997) Selecting inventory models using an expert system, *Computers & Industrial Engineering*, Vol. 33, No. 1-2, pp. 299-302.
- Ansuj, A.P., Camargo, M.E., Radharamanan, R. and Petry, D.G. (1996) Sales forecasting using time series and neural networks, *Computers & Industrial Engineering*, Vol. 31, No. 1-2, pp. 421-424.
- Arslan, T. and Khisty, C.J. (2005) A rational reasoning method from fuzzy perceptions in route choice, *Fuzzy Sets and Systems*, Vol. 150, No. 3, pp. 419-435.
- Arslan, T. and Khisty, J. (2006) A rational approach to handling fuzzy perceptions in route choice, *European Journal of Operational Research*, Vol. 168, No. 2, pp. 571-583.
- Back, T., Hammel, U. and Schwefel, H.P. (1997) Evolutionary computation: comments on the history and current state, *IEEE Transactions on Evolutionary Computation*, Vol. 1, No. 1, pp. 3-17.
- Balan, S., Vrat, P. and Kumar, P. (2009) Information distortion in a supply chain and its mitigation using soft computing approach, *Omega, The International Journal of Management Science*, Vol. 37, No. 2, pp. 282-299.

- Bernardon, D.P., Garcia, V.J., Ferreira, A.S.Q., and Canha, L.N. (2009) Electric distribution network reconfiguration based on a fuzzy multi-criteria decision making algorithm, *Electric Power Systems Research*, Vol. 79, No. 10, pp. 1400-1407.
- Berning, G., Brandenburg, M., Gursay, K., Kussi, J.S., Mehta, V. and Tolle, F. (2004) Integrating collaborative planning and supply chain optimization for the chemical process industry (I)—methodology, *Computers & Chemical Engineering*, Vol. 28, No. 6-7, pp. 913-927.
- Bjork, K. and Carlsson, C. (2007) The effect of flexible lead times on a paper producer, *International Journal of Production Economics*, Vol. 107, No. 1, pp. 139-150.
- Bosc, P., Kraft, D., and Petry, F. (2005) Fuzzy sets in database and information systems: Status and opportunities, *Fuzzy Sets and Systems*, Vol. 156, No. 3, pp. 418-426.
- Bottani, E. and Rizzi, A. (2006) Strategic management of logistics service: a fuzzy QFD approach, *International Journal of Production Economics*, Vol. 103, No. 2, pp. 585-599.
- Buyukozkan, G., Feyzioglu, O. and Nebol, E. (2008) Selection of the strategic alliance partner in logistics value chain, *International Journal of Production Economics*, Vol. 113, No. 1, pp. 148-158.
- Caputo, A.C., Fratocchi, L. and Pelagagge, P.M. (2006) A genetic approach for freight transportation planning, *Industrial Management & Data Systems*, Vol. 106, No. 5, pp. 719-738.
- Carbonneau, R., Laframboise, K. and Vahidov, R. (2008) Application of machine learning techniques for supply chain demand forecasting, *European Journal of Operational Research*, Vol. 184, No. 3, pp. 1140-1154.
- Celik, H.M. (2004) Modeling freight distribution using artificial neural networks, *Journal of Transport Geography*, Vol. 12, No. 2, pp. 141-148.
- Chan, C.K., Cheung, B.K.S. and Langevin, A. (2003) Solving the multi-buyer joint replenishment problem with a modified genetic algorithm, *Transportation Research Part B: Methodological*, Vol. 37, No. 3, pp. 291-299.
- Chan, F.T.S. and Kumar, N. (2007) Global supplier development considering risk factors using fuzzy extended AHP-based approach, *Omega, The International Journal of Management Science*, Vol. 35, No. 4, pp. 417-431.

- Chan, F.T.S., Qi, H.J., Chan, H.K., Lau, H.C.W., and Ip, R.W.L. (2003) A conceptual model of performance measurement for supply chains, *Management Decision*, Vol. 41, No. 7, pp. 635-642.
- Chang, C., Chiou, C., Liao, Y. and Chang, S. (2008a) An exact policy for enhancing buyer–supplier linkage in supply chain system, *International Journal of Production Economics*, Vol. 113, No. 1, pp. 470-479.
- Chang, I., Hwang, H., Liaw, H., Hung, M., Chen, S. and Yen, D.C. (2008b) A neural network evaluation model for ERP performance from SCM perspective to enhance enterprise competitive advantage, *Expert Systems with Applications*, Vol. 35, No. 4, pp. 1809-1816.
- Chang, P., Liu, C. and Lai, R.K. (2008c) A fuzzy case-based reasoning model for sales forecasting in print circuit board industries, *Expert Systems with Applications*, Vol. 34, No. 3, pp. 2049-2058.
- Chang, P., Liu, C. and Wang, Y. (2006b) A hybrid model by clustering and evolving fuzzy rules for sales decision supports in printed circuit board industry, *Decision Support Systems*, Vol. 42, No. 3, pp. 1254-1269.
- Chang, P., Wang, Y. and Tsai, C. (2005) Evolving neural network for printed circuit board sales forecasting, *Expert Systems with Applications*, Vol. 29, No. 1, pp. 83-92.
- Chang, P., Wang, Y. and Liu, C. (2007) The development of a weighted evolving fuzzy neural network for PCB sales forecasting, *Expert Systems with Applications*, Vol. 32, No. 1, pp. 86-96.
- Chang, P., Yao, M., Huang, S. and Chen, C. (2006a) A genetic algorithm for solving a fuzzy economic lot-size scheduling problem, *International Journal of Production Economics*, Vol. 102, No. 2, pp. 265-288.
- Chang, S. Yao, J. and Lee, H. (1998) Economic reorder point for fuzzy backorder quantity, *European Journal of Operational Research*, Vol. 109, No. 1, pp. 183-202.
- Chang, P. and Wang, Y. (2006) Fuzzy Delphi and back-propagation model for sales forecasting in PCB industry, *Expert Systems with Applications*, Vol. 30, No. 4, pp. 715-726.
- Chatfield, D.C. (2007) The economic lot scheduling problem: a pure genetic search approach, *Computers & Operations Research*, Vol. 34, No. 10, pp. 2865-2881.
- Chi, H., Ersoy, O.K., Moskowitz, H. and Ward, J. (2007) Modeling and optimizing a vendor managed replenishment system using machine learning and genetic algorithms, *European Journal of Operational Research*, Vol. 180, No. 1, pp. 174-193.

- Chiadamrong, N. and Prasertwattana, K. (2006) A comparative study of supply chain models under the traditional centralized and coordinating policies with incentive schemes, *Computers & Industrial Engineering*, Vol. 50, No. 4, pp. 367-384.
- Chiu, M., and Lin, G. (2004) Collaborative supply chain planning using the artificial neural network approach, *Journal of Manufacturing Technology Management*, Vol. 15, No. 8, pp. 787-796.
- Choy, K.L., Lee, W.B. and Lo, V. (2002) An intelligent supplier management tool for benchmarking suppliers in outsource manufacturing, *Expert Systems with Applications*, Vol. 22, No. 3, pp. 213-224.
- Choy, K.L., Lee, W.B. and Lo, V. (2003) Design of an intelligent supplier relationship management system: a hybrid case based neural network approach, *Expert Systems with Applications*, Vol. 24, No. 2, pp. 225-237.
- Christopher, M. (2004) *Logistics and supply chain management*, 2nd ed, Norfolk: Prentice Hall.
- Chu, C. and Zhang, G.P. (2003) A comparative study of linear and nonlinear models for aggregate retail sales forecasting, *International Journal of Production Economics*, Vol. 86, No. 3, pp. 217-231.
- Cooper, M.C., Lambert, D.M. and Pagh, J.D. (1997) Supply chain management: more than a new name for logistics, *The International Journal of Logistics Management*, Vol. 8, No. 1, pp. 1-14.
- Daniel, J.S.R. and Rajendran, C. (2006) Heuristic approaches to determine base-stock levels in a serial supply chain with a single objective and with multiple objectives, *European Journal of Operational Research*, Vol. 175, No. 1, pp. 566-592.
- Davis, L. (1991) *Handbook of genetic algorithms*, New York: Van Nostrand Reinhold.
- Deshpande, U., Gupta, A. and Basu, A. (2004) Task assignment with imprecise information for real-time operation in a supply chain, *Applied Soft Computing*, Vol. 5, No. 1, pp. 101-117.
- Dey, J.K., Mondal, S.K. and Maiti, M. (2008) Two storage inventory problem with dynamic demand and interval valued lead-time over finite time horizon under inflation and time-value of money, *European Journal of Operational Research*, Vol. 185, No. 1, pp. 170-194.
- Doganis, P., Alexandridis, A., Patrinos, P. and Sarimveis, H. (2006) Time series sales forecasting for short shelf-life food products based on artificial neural networks and evolutionary computing, *Journal of Food Engineering*, Vol. 75, No. 2, pp. 196-204.

- Dougherty, M. (1995) A review of neural networks applied to transport, *Transportation Research Part C: Emerging Technologies*, Vol. 3, No. 4, pp. 247-260.
- Dougherty, M.S. (1997) Applications of neural networks in transportation, *Transportation Research Part C: Emerging Technologies*, Vol. 5, No. 5, pp. 255-257.
- Du, T.C. and Wolfe, P.M. (1997) Implementation of fuzzy logic systems and neural networks in industry, *Computers in Industry*, Vol. 32, No. 3, pp. 261-272.
- Dullaert, W., Maes, B., Vernimmen, B. and Witlox, F. (2005) An evolutionary algorithm for order splitting with multiple transport alternatives, *Expert Systems with Applications*, Vol. 28, No. 2, pp. 201-208.
- Efendigil, T., Onut, S. and Kongar, E. (2008) A holistic approach for selecting a third-party reverse logistics provider in the presence of vagueness, *Computers & Industrial Engineering*, Vol. 54, No. 2, pp. 269-287.
- Ehrenberg, D. (1990) Expert systems for inventory control, *Decision Support Systems*, Vol. 6, No. 4, pp. 293-298.
- Esteva, F., Godo, L. and Montagna, F. (2001) The $\mathbb{LII}$ and $\mathbb{LII}\frac{1}{2}$ logics: Two complete fuzzy systems joining Łukasiewicz and product logics, *Archive for Mathematical Logic*, Vol. 40, No. 1, pp. 39-67.
- Farahani, R.Z. and Elahipanah, M. (2008) A genetic algorithm to optimize the total cost and service level for just-in-time distribution in a supply chain, *International Journal of Production Economics*, Vol. 111, No. 2, pp. 229-243.
- Fischer, T. and Gehring, H. (2005) Planning vehicle transshipment in a seaport automobile terminal using a multi-agent system, *European Journal of Operational Research*, Vol. 166, No. 3, pp. 726-740.
- Frank, C., Garg, A., Sztandera, L. and Raheja, A. (2003) Forecasting women's apparel sales using mathematical modeling, *International Journal of Clothing Science and Technology*, Vol. 15, No. 2, pp. 107-125.
- Fu, L., Sun, D. and Rilett, L.R. (2006) Heuristic shortest path algorithms for transportation applications: state of the art, *Computers & Operations Research*, Vol. 33, No. 11, pp. 3324-3343.

- Ganesh, K. and Narendran, T.T. (2007) CLOVES: A cluster-and-search heuristic to solve the vehicle routing problem with delivery and pick-up, *European Journal of Operational Research*, Vol. 178, No. 3, pp. 699-717.
- Gen, M. and Syarif, A. (2005) Hybrid genetic algorithm for multi-time period production/distribution planning, *Computers & Industrial Engineering*, Vol. 48, No. 4, pp. 799-809.
- Goldberg, D.E. (1989) *Genetic algorithms in search, optimization and machine learning*, Massachusetts: Addison-Wesley Publishing Company.
- Gunasekaran, N., Rathesh, S., Arunachalam, S., and Koh, S.C.L. (2006) Optimizing supply chain management using fuzzy approach, *Journal of Manufacturing Technology Management*, Vol. 17, No. 6, pp. 737-749.
- Guvenir, H.A. and Erel, E. (1998) Multicriteria inventory classification using a genetic algorithm, *European Journal of Operational Research*, Vol. 105, No. 1, pp. 29-37.
- Han, C. and Damrongwongsiri, M. (2005) Stochastic modeling of a two-echelon multiple sourcing supply chain system with genetic algorithm, *Journal of Manufacturing Technology Management*, Vol. 16, No. 1, pp. 87-108.
- Harrison, A. and Hoek, R. (2005) *Logistics management and strategy*, 2nd ed, Essex: Prentice Hall
- Ho, W., Ho, G.T.S., Ji, P. and Lau, H.C.W. (2008) A hybrid genetic algorithm for the multi-depot vehicle routing problem, *Engineering Applications of Artificial Intelligence*, Vol. 21, No. 4, pp. 548-557.
- Hu, T. and Sheu, J. (2003) A fuzzy-based customer classification method for demand-responsive logistical distribution operations, *Fuzzy Sets and Systems*, Vol. 139, No. 2, pp. 431-450.
- Huang, G.Q., Zhang, X.Y. and Liang, L. (2005) Towards integrated optimal configuration of platform products, manufacturing processes, and supply chains, *Journal of Operations Management*, Vol. 23, No. 3-4, pp. 267-290.
- Huin, S. F., Luong, L.H.S. and Abhary, K. (2003) Knowledge-based tool for planning of enterprise resources in ASEAN SMEs, *Robotics and Computer-Integrated Manufacturing*, Vol. 19, No. 5, pp. 409-414.
- Hwang, H., Choi, B. and Lee, M. (2005) A model for shelf space allocation and inventory control considering location and inventory level effects on demand, *International Journal of Production Economics*, Vol. 97, No. 2, pp. 185-195.

- Imai, A., Sasaki, K., Nishimura, E. and Papadimitriou, S. (2006) Multi-objective simultaneous stowage and load planning for a container ship with container rehandle in yard stacks, *European Journal of Operational Research*, Vol. 171, No. 2, pp. 373-389.
- Isiklar, G., Alptekin, E. and Buyukozkan, G. (2007) Application of a hybrid intelligent decision support model in logistics outsourcing, *Computers & Operations Research*, Vol. 34, No. 12, pp. 3701-3714.
- Jain, V., Benyoucef, L. and Deshmukh, S.G. (2008) A new approach for evaluating agility in supply chains using Fuzzy Association Rules Mining, *Engineering Applications of Artificial Intelligence*, Vol. 21, No. 3, pp. 367-385.
- Jawahar, N. and Balaji, A.N. (2009) A genetic algorithm for the two-stage supply chain distribution problem associated with a fixed charge, *European Journal of Operational Research*, Vol. 194, No. 2, pp. 496-537.
- Jeong, B., Jung, H. and Park, N. (2002) A computerized causal forecasting system using genetic algorithms in supply chain management, *Journal of Systems and Software*, Vol. 60, No. 3, pp. 223-237.
- Jo, J., Li, Y. and Gen, M. (2007) Nonlinear fixed charge transportation problem by spanning tree-based genetic algorithm, *Computers & Industrial Engineering*, Vol. 53, No. 2, pp. 290-298.
- Kampf, M. and Kochel, P. (2006) Simulation-based sequencing and lot size optimisation for a production-and-inventory system with multiple items, *International Journal of Production Economics*, Vol. 104, No. 1, pp. 191-200.
- Kartalopoulos, S.V. (1996) *Understanding neural networks and fuzzy logic*, New York: IEEE Press.
- Kim, M., Kim, C.O., Hong, S.R. and Kwon, I. (2008) Forward-backward analysis of RFID-enabled supply chain using fuzzy cognitive map and genetic algorithm, *Expert Systems with Applications*, Vol. 35, No. 3, pp. 1166-1176.
- Kimbrough, S.O., Wu, D. J. and Zhong, F. (2002) Computers play the beer game: can artificial agents manage supply chains? *Decision Support Systems*, Vol. 33, No. 3, pp. 323-333.
- Ko, H.J. and Evans, G.W. (2007) A genetic algorithm-based heuristic for the dynamic integrated forward/reverse logistics network for 3PLs, *Computers & Operations Research*, Vol. 34, No. 2, pp. 346-366.

- Ko, H.J., Ko, C.S. and Kim, T. (2006) A hybrid optimization/simulation approach for a distribution network design of 3PLS, *Computers & Industrial Engineering*, Vol. 50, No. 4, pp. 440-449.
- Kochel, P. and Nielander, U. (2005) Simulation-based optimisation of multi-echelon inventory systems, *International Journal of Production Economics*, Vol. 93-94, pp. 505-513.
- Kuo, R. J. (2001) A sales forecasting system based on fuzzy neural network with initial weights generated by genetic algorithm, *European Journal of Operational Research*, Vol. 129, No. 3, pp. 496-517.
- Kuo, R.J. and Xue, K.C. (1998a) A decision support system for sales forecasting through fuzzy neural networks with asymmetric fuzzy weights, *Decision Support Systems*, Vol. 24, No. 2, pp. 105-126.
- Kuo, R.J. and Xue, K.C. (1998b) An intelligent sales forecasting system through integration of artificial neural network and fuzzy neural network, *Computers in Industry*, Vol. 37, No. 1, pp. 1-15.
- Kuo, R.J. and Xue, K.C. (1999) Fuzzy neural networks with application to sales forecasting, *Fuzzy Sets and Systems*, Vol. 108, No. 2, pp. 123-143.
- Kuo, R.J., Wu, P. and Wang, C.P. (2002) An intelligent sales forecasting system through integration of artificial neural networks and fuzzy neural networks with fuzzy weight elimination, *Neural Networks*, Vol. 15, No. 7, pp. 909-925.
- Lambert, D.M., Cooper, M.C. and Pagh, J.D. (1998) Supply chain management: implementation issues and research opportunities, *The International Journal of Logistics Management*, Vol. 9, No. 2, pp. 1-19.
- Lambert, D.M., Garcia-Dastugue, S.J. and Croxton, K.L. (2005) An evaluation of process-oriented supply chain management frameworks, *Journal of Business Logistics*, Vol. 26, No. 1, pp. 25-50.
- Lau, H.C.W., Ning, A., Ip, W.H. and Choy, K.L. (2004) A decision support system to facilitate resources allocation: an OLAP-based neural network approach, *Journal of Manufacturing Technology Management*, Vol.15, No. 8, pp. 771-778.
- Lau, H.C.W., Ning, A., Pun, K.F., Chin, K.S., and Ip, W.H. (2005) A knowledge-based system to support procurement decision, *Journal of Knowledge Management*, Vol. 9, No. 1, pp. 87-100.

- Lau, H.C.W., Pang, W.K. and Wong, C.W.Y. (2002) Methodology for monitoring supply chain performance: a fuzzy logic approach, *Logistics Information Management*, Vol. 15, No. 4, pp. 271-280.
- Lawrence, J.A. and Pasternack, B.A. (2002) *Applied management science: modelling, spreadsheet analysis, and communication for decision making*, 2nd ed, New Jersey: John Wiley and Sons.
- Lee, C.C. and Ou-Yang, C. (2009) A neural networks approach for forecasting the supplier's bid prices in supplier selection negotiation process, *Expert Systems with Applications*, Vol. 36, No. 2, pp. 2961-2970.
- Lee, H. and Yao, J. (1998) Economic production quantity for fuzzy demand quantity, and fuzzy production quantity, *European Journal of Operational Research*, Vol. 109, No. 1, Pages 203-211.
- Lee, H. and Yao, J. (1999) Economic order quantity in fuzzy sense for inventory without backorder model, *Computers & Operations Research*, Vol. 27, No. 10, pp. 935-962.
- Li, L., Kabadi, S.N. and Nair, K.P.K. (2002) Fuzzy models for single-period inventory problem, *Fuzzy Sets and Systems*, Vol. 132, No. 3, pp. 273-289.
- Li, S.G. and Kuo, X. (2008) The inventory management system for automobile spare parts in a central warehouse, *Expert Systems with Applications*, Vol. 34, No. 2, pp. 1144-1153.
- Li, Y., Chen, J. and Cai, X. (2007) Heuristic genetic algorithm for capacitated production planning problems with batch processing and remanufacturing, *International Journal of Production Economics*, Vol. 105, No. 2, pp. 301-317.
- Liang, W. and Huang, C. (2006) Agent-based demand forecast in multi-echelon supply chain, *Decision Support Systems*, Vol. 42, No. 1, pp. 390-407.
- Lieckens, K. and Vandaele, N. (2007) Reverse logistics network design with stochastic lead times, *Computers & Operations Research*, Vol. 34, No. 2, pp. 395-416.
- Lin, C., Chiu, H. and Chu, P. (2006) Agility index in the supply chain, *International Journal of Production Economics*, Vol. 100, No. 2, pp. 285-299.
- Lin, F., Kuo, H. and Lin, S. (2008) The enhancement of solving the distributed constraint satisfaction problem for cooperative supply chains using multi-agent systems, *Decision Support Systems*, Vol. 45, No. 4, pp. 795-810.

- Luxhoj, J.T., Riis, J.O. and Stensballe, B. (1996) A hybrid econometric—neural network modeling approach for sales forecasting, *International Journal of Production Economics*, Vol. 43, No. 2-3, pp. 175-192.
- Ma, H. and Davidrajuh, R. (2005) An iterative approach for distribution chain design in agile virtual environment, *Industrial Management & Data Systems*, Vol. 105, No. 6, pp. 815-834.
- Maiti, A.K., Bhunia A.K. and Maiti, M. (2006a) An application of real-coded genetic algorithm (RCGA) for mixed integer non-linear programming in two-storage multi-item inventory model with discount policy, *Applied Mathematics and Computation*, Vol. 183, No. 2, pp. 903-915.
- Maiti, A.K., Maiti M.K. and Maiti, M. (2006b) Two storage inventory model with random planning horizon, *Applied Mathematics and Computation*, Vol. 183, No. 2, pp. 1084-1097.
- Maiti, M.K. (2008) Fuzzy inventory model with two warehouses under possibility measure on fuzzy goal, *European Journal of Operational Research*, Vol. 188, No. 3, pp. 746-774.
- Maiti, M.K. and Maiti, M. (2006) Fuzzy inventory model with two warehouses under possibility constraints, *Fuzzy Sets and Systems*, Vol. 157, No. 1, pp. 52-73.
- Maiti, M.K. and Maiti, M. (2007) Two-storage inventory model with lot-size dependent fuzzy lead-time under possibility constraints via genetic algorithm, *European Journal of Operational Research*, Vol. 179, No. 2, pp. 352-371.
- Mak, K.L., Wong Y.S. and Huang, G.Q. (1999) Optimal inventory control of lumpy demand items using genetic algorithms, *Computers & Industrial Engineering*, Vol. 37, No. 1-2, pp. 273-276.
- Marx-Gomez, J., Rautenstrauch, C., Nurnberger, A. and Kruse, R. (2002) Neuro-fuzzy approach to forecast returns of scrapped products to recycling and remanufacturing, *Knowledge-Based Systems*, Vol. 15, No. 1-2, pp. 119-128.
- Min, H. and Ko, H. (2008) The dynamic design of a reverse logistics network from the perspective of third-party logistics service providers, *International Journal of Production Economics*, Vol. 113, No. 1, pp. 176-192.
- Min, H., Ko, C.S. and Ko, H.J. (2006a) The spatial and temporal consolidation of returned products in a closed-loop supply chain network, *Computers & Industrial Engineering*, Vol. 51, No. 2, pp. 309-320.

- Min, H., Ko, H.J. and Ko, C.S. (2006b) A genetic algorithm approach to developing the multi-echelon reverse logistics network for product returns, *Omega, The International Journal of Management Science*, Vol. 34, No. 1, pp. 56-69.
- Moghadam, M.R.S., Afsar, A. and Sohrabi, B. (2008) Inventory lot-sizing with supplier selection using hybrid intelligent algorithm, *Applied Soft Computing*, Vol. 8, No. 4, pp. 1523-1529.
- Mondal, S. and Maiti, M. (2003) Multi-item fuzzy EOQ models using genetic algorithm, *Computers & Industrial Engineering*, Vol. 44, No. 1, pp. 105-117.
- Moon, C., Kim, J. and Hur, S. (2002) Integrated process planning and scheduling with minimizing total tardiness in multi-plants supply chain, *Computers & Industrial Engineering*, Vol. 43, No. 1-2, pp. 331-349.
- Moon, C., Lee, Y.H., Jeong, C.S. and Yun, Y. (2008) Integrated process planning and scheduling in a supply chain, *Computers & Industrial Engineering*, Vol. 54, No. 4, pp. 1048-1061.
- Musilek, P. and Gupta, M.M. (2000) Neural networks and fuzzy systems, In: *Soft computing and intelligent systems: theory and applications*, edited by Sinha, N.K. and Gupta, M.M., San Diego: Academic Press.
- Nachiappan, S.P. and Jawahar, N. (2007) A genetic algorithm for optimal operating parameters of VMI system in a two-echelon supply chain, *European Journal of Operational Research*, Vol. 182, No. 3, pp. 1433-1452.
- Naso, D., Surico, M., Turchiano, B. and Kaymak, U. (2007) Genetic algorithms for supply-chain scheduling: a case study in the distribution of ready-mixed concrete, *European Journal of Operational Research*, Vol. 177, No. 3, pp. 2069-2099.
- Oliveira, J.A. (2007) Scheduling the truckload operations in automatic warehouses, *European Journal of Operational Research*, Vol. 179, No. 3, pp. 723-735.
- Ossipov, P. (2005) Heuristic optimization of sequence of customer orders, *Applied Mathematics and Computation*, Vol. 162, No. 3, pp. 1303-1313.
- Pal, S. and Ghosh, A. (2004) Soft computing data mining, *Information Sciences*, Vol. 163, No. 1-3, pp. 1-3.
- Pankratz, G. (2005) Dynamic vehicle routing by means of a genetic algorithm, *International Journal of Physical Distribution & Logistics Management*, Vol. 35, No. 5, pp. 362-383.

- Partovi, F.Y. and Anandarajan, M. (2002) Classifying inventory using an artificial neural network approach, *Computers & Industrial Engineering*, Vol. 41, No. 4, pp. 389-404.
- Petry, F.E. and Zhao, L. (2009) Data mining by attribute generalization with fuzzy hierarchies in fuzzy databases, *Fuzzy Sets and Systems*, Vol. 160, No. 15, pp. 2206-2223.
- Potvin, J., Shen, Y., Dufour, G. and Rousseau, J. (1995) Learning techniques for an expert vehicle dispatching system, *Expert Systems with Applications*, Vol. 8, No. 1, pp. 101-109.
- Pourakbar, M., Farahani, R.Z. and Asgari, N. (2007) A joint economic lot-size model for an integrated supply network using genetic algorithm, *Applied Mathematics and Computation*, Vol. 189, No. 1, pp. 583-596.
- Prasad, S., Shah, V. and Hasan, J. (1996) A prototype intelligent model management system for inventory decision support, *Omega, The International Journal of Management Science*, Vol. 24, No. 2, pp. 153-166.
- Rezaei, J. and Davoodi, M. (2008) A deterministic, multi-item inventory model with supplier selection and imperfect quality, *Applied Mathematical Modelling*, Vol. 32, No. 10, pp. 2106-2116.
- Roghanian, E., Sadjadi, S.J. and Aryanezhad, M.B. (2007) A probabilistic bi-level linear multi-objective programming problem to supply chain planning, *Applied Mathematics and Computation*, Vol. 188, No. 1, pp. 786-800.
- Ross, T.J. (2004) *Fuzzy logic with engineering applications*, 2nd ed, West Sussex: John Wiley and Sons.
- Roy, A., Kar, S. and Maiti, M. (2008) A deteriorating multi-item inventory model with fuzzy costs and resources based on two different defuzzification techniques, *Applied Mathematical Modelling*, Vol. 32, No. 2, pp. 208-223.
- Roy, R., Furuhashi, T. and Chawdhry, P.K. (1999) *Advances in soft computing: engineering design and manufacturing*, edited by Roy, R., Furuhashi, T. and Chawdhry, P.K., London: Springer.
- Rushton, A., Oxley, J. and Croucher, P. (2000) *The handbook of logistics and distribution management*, 2nd ed, London: Kogan Page.
- Samanta, B. and Al-Araimi, S.A. (2001) An inventory control model using fuzzy logic, *International Journal of Production Economics*, Vol. 73, No. 3, pp. 217-226.
- Schneeweiss, C. (2003) Distributed decision making in supply chain management, *International Journal of Production Economics*, Vol. 84, No. 1, pp. 71-83.

- Sheu, J. (2004) A hybrid fuzzy-based approach for identifying global logistics strategies, *Transportation Research Part E: Logistics and Transportation Review*, Vol. 40, No. 1, pp. 39-61.
- Sheu, J. (2006) A novel dynamic resource allocation model for demand-responsive city logistics distribution operations, *Transportation Research Part E: Logistics and Transportation Review*, Vol. 42, No. 6, pp. 445-472.
- Sheu, J. (2008) A hybrid neuro-fuzzy analytical approach to mode choice of global logistics management, *European Journal of Operational Research*, Vol. 189, No. 3, pp. 971-986.
- Shintani, K., Imai, A., Nishimura, E. and Papadimitriou, S. (2007) The container shipping network design problem with empty container repositioning, *Transportation Research Part E: Logistics and Transportation Review*, Vol. 43, No. 1, pp. 39-59.
- Shore, B., and Venkatachalam, A.R. (2003) Evaluating the information sharing capabilities of supply chain partners: a fuzzy logic model, *International Journal of Physical Distribution & Logistics Management*, Vol. 33, No. 9, pp. 804-824.
- Silva, C.A., Sousa, J.M.C. and Runkler, T.A. (2007) Optimization of logistic systems using fuzzy weighted aggregation, *Fuzzy Sets and Systems*, Vol. 158, No. 17, pp. 1947-1960.
- Silva, C.A., Sousa, J.M.C. and Runkler, T.A. (2008) Rescheduling and optimization of logistic processes using GA and ACO, *Engineering Applications of Artificial Intelligence*, Vol. 21, No. 3, pp. 343-352.
- Silva, C.A., Sousa, J.M.C., Runkler, T. and Palm, R. (2005) Soft computing optimization methods applied to logistic processes, *International Journal of Approximate Reasoning*, Vol. 40, No. 3, pp. 280-301.
- Sinha, N.K. and Gupta, M.M. (2000) Introduction to soft computing and intelligent control systems, In: *Soft computing and intelligent systems: theory and applications*, edited by Sinha, N.K. and Gupta, M.M., San Diego: Academic Press.
- Slater, A. (2002) Specification for a dynamic vehicle routing and scheduling system, *International Journal of Transport Management*, Vol. 1, No. 1, pp. 29-40.
- Smirnov, A.V., Sheremetov, L.B., Chilov, N. and Cortes, J.R. (2004) Soft-computing technologies for configuration of cooperative supply chain, *Applied Soft Computing*, Vol. 4, No. 1, pp. 87-107.
- Sprecher, D.A. (1965) On the structure of continuous functions of several variable, *Transactions of the American Mathematical Society*, Vol. 115, pp. 340-355.

- Strozzi, F., Bosch, J. and Zaldivar, J.M. (2007) Beer game order policy optimization under changing customer demand, *Decision Support Systems*, Vol. 42, No. 4, pp. 2153-2163.
- Suarez, M.G. (2005) Shelf space assigned to store and national brands: a neural networks analysis, *International Journal of Retail & Distribution Management*, Vol. 33, No. 11, pp. 858-878.
- Syarif, A., Yun, Y. and Gen, M. (2002) Study on multi-stage logistic chain network: a spanning tree-based genetic algorithm approach, *Computers & Industrial Engineering*, Vol. 43, No. 1-2, pp. 299-314.
- Teodorovic, D. (1999) Fuzzy logic systems for transportation engineering: the state of the art, *Transportation Research Part A: Policy and Practice*, Vol. 33, No. 5, pp. 337-364.
- Tettamanzi, A. and Tomassini, M. (2001) *Soft computing: integrating evolutionary, neural, and fuzzy systems*, Heidelberg: Springer.
- Thomassey, S. and Happiette, M. (2007) A neural clustering and classification system for sales forecasting of new apparel items, *Applied Soft Computing*, Vol. 7, No. 4, pp. 1177-1187.
- Thomassey, S., Happiette, M. and Castelain, J.M. (2005a) A short and mean-term automatic forecasting system—application to textile logistics, *European Journal of Operational Research*, Vol. 161, No. 1, pp. 275-284.
- Thomassey, S., Happiette, M. and Castelain, J.M. (2005b) A global forecasting support system adapted to textile distribution, *International Journal of Production Economics*, Vol. 96, NO. 1, pp. 81-95.
- Toivonen, J., Kleemola, A., Vanharanta, H. and Visa, A. (2006) Improving logistical decision making—applications for analysing qualitative and quantitative information, *Journal of Purchasing and Supply Management*, Vol. 12, No. 3, pp. 123-134.
- Tong, L. and Liang, Y. (2005) Forecasting field failure data for repairable systems using neural networks and SARIMA model, *International Journal of Quality & Reliability Management*, Vol. 22, No. 4, pp. 410-420.
- Torabi, S.A., Ghomi, S.M.T.F. and Karimi, B. (2006) A hybrid genetic algorithm for the finite horizon economic lot and delivery scheduling in supply chains, *European Journal of Operational Research*, Vol. 173, No. 1, pp. 173-189.
- Tsai, C. (2006) An intelligent adaptive system for the optimal variable selections of R&D and quality supply chains, *Expert Systems with Applications*, Vol. 31, No. 4, pp. 808-825.

- Turksen, B. and Berg, M. (1991) An expert system prototype for inventory capacity planning: an approximate reasoning approach, *International Journal of Approximate Reasoning*, Vol. 5, No. 3, pp. 223-250.
- Ulieru, M., Brennan, R.W. and Walker, S.S. (2002) The holonic enterprise: a model for Internet-enabled global manufacturing supply chain and workflow management, *Integrated Manufacturing Systems*, Vol. 13, No. 8, pp. 538-550.
- Vukadinovic, K., Teodorovic, D.A. and Pavkovic, G. (1999) An application of neurofuzzy modeling: The vehicle assignment problem, *European Journal of Operational Research*, Vol. 114, No. 3, pp. 474-488.
- Wall, B., Higgins, P., Browne, J. and Lyons, G. (1992) A prototype system for short-term supply planning, *Computers in Industry*, Vol. 19, No. 1, pp. 1-19.
- Wang, J. and Shu, Y. (2005) Fuzzy decision modeling for supply chain management, *Fuzzy Sets and Systems*, Vol. 150, No. 1, pp. 107-127.
- Wang, J. and Shu, Y. (2007) A possibilistic decision model for new product supply chain design, *European Journal of Operational Research*, Vol. 177, No. 2, pp. 1044-1061.
- Wang, J., Zhao, R. and Tang, W. (2008) Fuzzy programming models for vendor selection problem in a supply chain, *Tsinghua Science & Technology*, Vol. 13, No. 1, pp. 106-111.
- Wang, X., Tang, W. and Zhao, R. (2007) Fuzzy economic order quantity inventory models without backordering, *Tsinghua Science & Technology*, Vol. 12, No. 1, pp. 91-96.
- Wu, M. and Hsu, Y. (2008) Design of BOM configuration for reducing spare parts logistic costs, *Expert Systems with Applications*, Vol. 34, No. 4, pp. 2417-2423.
- Xie, J. and Dong, J. (2002) Heuristic genetic algorithms for general capacitated lot-sizing problems, *Computers & Mathematics with Applications*, Vol. 44, No. 1-2, pp. 263-276.
- Xu, H., Xu, R. and Ye, Q. (2006) Optimization of unbalanced multi-stage logistics systems based on prüfer number and effective capacity coding, *Tsinghua Science & Technology*, Vol. 11, No. 1, pp. 96-101.
- Xu, J. and Liu, Y. (2008) Multi-objective decision making model under fuzzy random environment and its application to inventory problems, *Information Sciences*, Vol. 178, No. 14, pp. 2899-2914.

- Xu, J., Liu, Q. and Wang, R. (2008a) A class of multi-objective supply chain networks optimal model under random fuzzy environment and its application to the industry of Chinese liquor, *Information Sciences*, Vol. 178, No. 8, pp. 2022-2043.
- Xu, T., Wei, H. and Wang, Z. (2008b) Study on continuous network design problem using simulated annealing and genetic algorithm, *Expert Systems with Applications*, Vol. 36, No. 2, pp. 1322-1328.
- Yager, R. and Zadeh, L. (1994) *Fuzzy Sets, Neural Networks, and Soft Computing*, New York: Van Nostrand Reinhold Publ.
- Yang, L., Ji, X., Gao, Z. and Li, K. (2007) Logistics distribution centers location problem and algorithm under fuzzy environment, *Journal of Computational and Applied Mathematics*, Vol. 208, No. 2, pp. 303-315.
- Yao, J. and Lee, H. (1996) Fuzzy inventory with backorder for fuzzy order quantity, *Information Sciences*, Vol. 93, No. 3-4, pp. 283-319.
- Yao, J., Chang, S. and Su, J. (2000) Fuzzy inventory without backorder for fuzzy order quantity and fuzzy total demand quantity, *Computers & Operations Research*, Vol. 27, No. 10, pp. 935-962.
- Yao, M. and Chu, W. (2008) A genetic algorithm for determining optimal replenishment cycles to minimize maximum warehouse space requirements, *Omega, The International Journal of Management Science*, Vol. 36, No. 4, pp. 619-631.
- Yokoyama, M. (2002) Integrated optimization of inventory-distribution systems by random local search and a genetic algorithm, *Computers & Industrial Engineering*, Vol. 42, No. 2-4, pp. 175-188.
- Zadeh, L.A. (2008) Toward human level machine intelligence—is it achievable? The need for a new paradigm shift, *IEEE Computational Intelligence Magazine*, Vol. 3, pp. 11-22.
- Zarandi, M.H.F., Pourakbar, M. and Turksen, I.B. (2008) A fuzzy agent-based model for reduction of bullwhip effect in supply chain systems, *Expert Systems with Applications*, Vol. 34, No. 3, pp. 1680-1691.
- Zhang, G., Patuwo, B.E. and Hu, M.Y. (1998) Forecasting with artificial neural networks: the state of the art, *International Journal of Forecasting*, Vol. 14, No. 1, pp. 35-62.

Zhou, G., Min, H. and Gen, M. (2002) The balanced allocation of customers to multiple distribution centers in the supply chain network: a genetic algorithm approach, *Computers & Industrial Engineering*, Vol. 43, No. 1-2, pp. 251-261.

Zhou, G., Min, H. and Gen, M. (2003) A genetic algorithm approach to the bi-criteria allocation of customers to warehouses, *International Journal of Production Economics*, Vol. 86, No. 1, pp. 35-45.



DSPACE

<https://dspace.org/>

A review of soft computing applications in supply chain management

Ko, Mark; Tiwari, Ashutosh; Mehnen, Jorn

2010-06

Elsevier

<http://dx.doi.org/10.1016/j.asoc.2009.09.004>

Mark Ko, Ashutosh Tiwari, Jorn Mehnen, A review of soft computing applications in supply chain management, Applied Soft Computing, Volume 10, Issue 3, June 2010, Pages 661-674